



ALUMINUM WITH CLEAR ANODIZE (ROHS COMPLIANT)


FOR BELTS UP TO 1/4" WIDE



TYPE 6FC



TYPE 6F



TYPE 6




| PART NUMBER | NO. OF GROOVES | PITCH DIA. | OUTSIDE DIA. | FLANGE O.D. | TYPE | BORE (+.001 / -.000) | FACE WIDTH | OVERALL LENGTH | HUB PROJ. | HUB DIA. | SET SCREWS |
|---------------------|----------------|------------|--------------|-------------|------|----------------------|------------|----------------|-----------|----------|------------|
| 10MXL025-6A X 1/8 | 10 | .255 | .235 | .425 | 6FC | .1250 | .285 | 9/16 | 15/64 | .425 | 4-40(1) |
| 11MXL025-6A X 1/8 | 11 | .280 | .260 | .450 | 6FC | .1250 | .285 | 9/16 | 15/64 | .450 | 4-40(1) |
| 12MXL025-6A X 1/8 | 12 | .306 | .286 | .480 | 6FC | .1250 | .285 | 9/16 | 15/64 | .480 | 4-40(1) |
| 14MXL025-6A X 1/8 | 14 | .357 | .337 | .530 | 6FC | .1250 | .285 | 9/16 | 15/64 | .530 | 4-40(1) |
| 15MXL025-6A X 3/16 | 15 | .382 | .362 | .555 | 6FC | .1875 | .285 | 9/16 | 15/64 | .555 | 6-40(1) |
| 16MXL025-6A X 3/16 | 16 | .407 | .387 | .580 | 6FC | .1875 | .285 | 9/16 | 15/64 | .580 | 6-40(1) |
| 18MXL025-6A X 1/4 | 18 | .458 | .438 | .635 | 6FC | .2500 | .285 | 9/16 | 15/64 | .635 | 6-40(2) |
| 20MXL025-6A X 1/4 | 20 | .509 | .489 | .685 | 6FC | .2500 | .285 | 9/16 | 15/64 | .685 | 6-40(2) |
| 21MXL025-6A X 1/4 | 21 | .535 | .515 | .710 | 6FC | .2500 | .285 | 9/16 | 15/64 | .710 | 6-40(2) |
| 22MXL025-6A X 1/4 | 22 | .560 | .540 | .740 | 6FC | .2500 | .285 | 9/16 | 15/64 | .740 | 6-40(2) |
| 18MXL025-1A X 3/16 | 18 | .458 | .438 | .635 | 6F | .1875 | .389 | 5/8 | 15/64 | .312 | 6-40(2) |
| 20MXL025-1A X 3/16 | 20 | .509 | .489 | .685 | 6F | .1875 | .389 | 5/8 | 15/64 | .364 | 6-40(2) |
| 21MXL025-1A X 3/16 | 21 | .535 | .515 | .710 | 6F | .1875 | .389 | 5/8 | 15/64 | .390 | 6-40(2) |
| 22MXL025-1A X 3/16 | 22 | .560 | .540 | .740 | 6F | .1875 | .389 | 5/8 | 15/64 | .390 | 6-40(2) |
| 24MXL025-1A X 1/4 | 24 | .611 | .591 | .790 | 6F | .2500 | .389 | 11/16 | 19/64 | .442 | 6-40(2) |
| 28MXL025-1A X 1/4 | 28 | .713 | .693 | .895 | 6F | .2500 | .389 | 11/16 | 19/64 | .494 | 6-40(2) |
| 30MXL025-1A X 1/4 | 30 | .764 | .744 | .945 | 6F | .2500 | .389 | 11/16 | 19/64 | .546 | 8-32(2) |
| 32MXL025-1A X 1/4 | 32 | .815 | .795 | 1.000 | 6F | .2500 | .389 | 11/16 | 19/64 | .598 | 8-32(2) |
| 36MXL025-1A X 1/4 | 36 | .917 | .897 | 1.105 | 6F | .2500 | .389 | 11/16 | 19/64 | .676 | 8-32(2) |
| 40MXL025-1A X 1/4 | 40 | 1.019 | .999 | 1.210 | 6F | .2500 | .405 | 23/32 | 5/16 | .754 | 8-32(2) |
| 42MXL025-1A X 1/4 | 42 | 1.070 | 1.050 | 1.260 | 6F | .2500 | .405 | 23/32 | 5/16 | .806 | 8-32(2) |
| 44MXL025-1A X 1/4 | 44 | 1.120 | 1.100 | 1.315 | 6F | .2500 | .405 | 23/32 | 5/16 | .858 | 8-32(2) |
| 48MXL025-1A X 1/4 | 48 | 1.222 | 1.202 | 1.420 | 6F | .2500 | .405 | 23/32 | 5/16 | .936 | 8-32(2) |
| 60MXL025-1A X 1/4 | 60 | 1.528 | 1.508 | 1.730 | 6F | .2500 | .405 | 23/32 | 5/16 | 1.222 | 8-32(2) |
| 60MXL025-2A X 1/4 | 60 | 1.528 | 1.508 | — | 6 | .2500 | .375 | 3/4 | 3/8 | 1.148 | 8-32(2) |
| 72MXL025-2A X 1/4 | 72 | 1.833 | 1.813 | — | 6 | .2500 | .375 | 3/4 | 3/8 | 1.195 | 8-32(2) |
| 80MXL025-2A X 5/16 | 80 | 2.037 | 2.017 | — | 6 | .3125 | .375 | 3/4 | 3/8 | 1.500 | 8-32(2) |
| 90MXL025-2A X 5/16 | 90 | 2.292 | 2.272 | — | 6 | .3125 | .375 | 3/4 | 3/8 | 1.500 | 8-32(2) |
| 100MXL025-2A X 5/16 | 100 | 2.546 | 2.526 | — | 6 | .3125 | .375 | 3/4 | 3/8 | 1.500 | 8-32(2) |
| 120MXL025-2A X 3/8 | 120 | 3.056 | 3.036 | — | 6 | .3750 | .375 | 3/4 | 3/8 | 1.500 | 10-32(2) |




ALUMINUM WITH CLEAR ANODIZE (ROHS COMPLIANT)


FOR BELTS UP TO 3/8" WIDE



TYPE 6FC




TYPE 6F



TYPE 6

| PART NUMBER | NO. OF GROOVES | PITCH DIA. | OUTSIDE DIA. | FLANGE O.D. | TYPE | BORE (+.001 / -.000) | FACE WIDTH | OVERALL LENGTH | HUB PROJ. | HUB DIA. | SET SCREWS |
|---------------------|----------------|------------|--------------|-------------|------|----------------------|------------|----------------|-----------|----------|------------|
| 10MXL037-6A X 1/8 | 10 | .255 | .235 | .425 | 6FC | .1250 | .410 | 11/16 | 15/64 | .425 | 4-40(1) |
| 11MXL037-6A X 1/8 | 11 | .280 | .260 | .450 | 6FC | .1250 | .410 | 11/16 | 15/64 | .450 | 4-40(1) |
| 12MXL037-6A X 1/8 | 12 | .306 | .286 | .480 | 6FC | .1250 | .410 | 11/16 | 15/64 | .480 | 4-40(1) |
| 14MXL037-6A X 1/8 | 14 | .357 | .337 | .530 | 6FC | .1250 | .410 | 11/16 | 15/64 | .530 | 4-40(1) |
| 15MXL037-6A X 3/16 | 15 | .382 | .362 | .555 | 6FC | .1875 | .410 | 11/16 | 15/64 | .555 | 6-40(1) |
| 16MXL037-6A X 3/16 | 16 | .407 | .387 | .580 | 6FC | .1875 | .410 | 11/16 | 15/64 | .580 | 6-40(1) |
| 18MXL037-6A X 1/4 | 18 | .458 | .438 | .635 | 6FC | .2500 | .410 | 11/16 | 15/64 | .635 | 6-40(2) |
| 20MXL037-6A X 1/4 | 20 | .509 | .489 | .685 | 6FC | .2500 | .410 | 11/16 | 15/64 | .685 | 6-40(2) |
| 21MXL037-6A X 1/4 | 21 | .535 | .515 | .710 | 6FC | .2500 | .410 | 11/16 | 15/64 | .710 | 6-40(2) |
| 22MXL037-6A X 1/4 | 22 | .560 | .540 | .740 | 6FC | .2500 | .410 | 11/16 | 15/64 | .740 | 6-40(2) |
| 18MXL037-1A X 3/16 | 18 | .458 | .438 | .635 | 6F | .1875 | .514 | 3/4 | 15/64 | .312 | 6-40(2) |
| 20MXL037-1A X 3/16 | 20 | .509 | .489 | .685 | 6F | .1875 | .514 | 3/4 | 15/64 | .364 | 6-40(2) |
| 21MXL037-1A X 3/16 | 21 | .535 | .515 | .710 | 6F | .1875 | .514 | 3/4 | 15/64 | .390 | 6-40(2) |
| 22MXL037-1A X 3/16 | 22 | .560 | .540 | .740 | 6F | .1875 | .514 | 3/4 | 15/64 | .390 | 6-40(2) |
| 24MXL037-1A X 1/4 | 24 | .611 | .591 | .790 | 6F | .2500 | .514 | 13/16 | 19/64 | .442 | 6-40(2) |
| 28MXL037-1A X 1/4 | 28 | .713 | .693 | .895 | 6F | .2500 | .514 | 13/16 | 19/64 | .494 | 6-40(2) |
| 30MXL037-1A X 1/4 | 30 | .764 | .744 | .945 | 6F | .2500 | .514 | 13/16 | 19/64 | .546 | 8-32(2) |
| 32MXL037-1A X 1/4 | 32 | .815 | .795 | 1.000 | 6F | .2500 | .514 | 13/16 | 19/64 | .598 | 8-32(2) |
| 36MXL037-1A X 1/4 | 36 | .917 | .897 | 1.105 | 6F | .2500 | .514 | 13/16 | 19/64 | .676 | 8-32(2) |
| 40MXL037-1A X 1/4 | 40 | 1.019 | .999 | 1.210 | 6F | .2500 | .530 | 27/32 | 5/16 | .754 | 8-32(2) |
| 42MXL037-1A X 1/4 | 42 | 1.070 | 1.050 | 1.260 | 6F | .2500 | .530 | 27/32 | 5/16 | .806 | 8-32(2) |
| 44MXL037-1A X 1/4 | 44 | 1.120 | 1.100 | 1.315 | 6F | .2500 | .530 | 27/32 | 5/16 | .858 | 8-32(2) |
| 48MXL037-1A X 1/4 | 48 | 1.222 | 1.202 | 1.420 | 6F | .2500 | .530 | 27/32 | 5/16 | .936 | 8-32(2) |
| 60MXL037-1A X 1/4 | 60 | 1.528 | 1.508 | 1.730 | 6F | .2500 | .530 | 27/32 | 5/16 | 1.222 | 8-32(2) |
| 60MXL037-2A X 1/4 | 60 | 1.528 | 1.508 | — | 6 | .2500 | .500 | 7/8 | 3/8 | 1.148 | 8-32(2) |
| 72MXL037-2A X 1/4 | 72 | 1.833 | 1.813 | — | 6 | .2500 | .500 | 7/8 | 3/8 | 1.195 | 8-32(2) |
| 80MXL037-2A X 5/16 | 80 | 2.037 | 2.017 | — | 6 | .3125 | .500 | 7/8 | 3/8 | 1.500 | 8-32(2) |
| 90MXL037-2A X 5/16 | 90 | 2.292 | 2.272 | — | 6 | .3125 | .500 | 7/8 | 3/8 | 1.500 | 8-32(2) |
| 100MXL037-2A X 5/16 | 100 | 2.546 | 2.526 | — | 6 | .3125 | .500 | 7/8 | 3/8 | 1.500 | 8-32(2) |
| 120MXL037-2A X 3/8 | 120 | 3.056 | 3.036 | — | 6 | .3750 | .500 | 7/8 | 3/8 | 1.500 | 10-32(2) |


ALUMINUM 6061-T6 (RoHS COMPLIANT)



| PART NUMBER | NO. OF GROOVES | PITCH DIA. | OUTSIDE DIA. | SHANK DIA. | USEABLE LENGTH |
|-------------|----------------|------------|--------------|------------|----------------|
| 10MXL-P-2A | 10 | .255 | .235 | 5/16 | 2" |
| 11MXL-P-2A | 11 | .280 | .260 | 5/16 | 2" |
| 12MXL-P-2A | 12 | .306 | .286 | 5/16 | 2" |
| 13MXL-P-2A | 13 | .331 | .311 | 3/8 | 2" |
| 14MXL-P-3A | 14 | .357 | .337 | 3/8 | 3" |
| 15MXL-P-3A | 15 | .382 | .362 | 7/16 | 3" |
| 16MXL-P-3A | 16 | .407 | .387 | 7/16 | 3" |
| 17MXL-P-3A | 17 | .433 | .413 | 7/16 | 3" |
| 18MXL-P-3A | 18 | .458 | .438 | 1/2 | 3" |
| 19MXL-P-3A | 19 | .484 | .464 | 1/2 | 3" |
| 20MXL-P-4A | 20 | .509 | .489 | 3/8 | 4" |
| 21MXL-P-4A | 21 | .535 | .515 | 3/8 | 4" |
| 22MXL-P-4A | 22 | .560 | .540 | 3/8 | 4" |
| 23MXL-P-4A | 23 | .586 | .566 | 3/8 | 4" |
| 24MXL-P-5A | 24 | .611 | .591 | 1/2 | 5" |
| 25MXL-P-5A | 25 | .637 | .617 | 1/2 | 5" |
| 26MXL-P-5A | 26 | .662 | .642 | 1/2 | 5" |
| 27MXL-P-5A | 27 | .687 | .667 | 1/2 | 5" |
| 28MXL-P-5A | 28 | .713 | .693 | 1/2 | 5" |
| 29MXL-P-5A | 29 | .738 | .718 | 1/2 | 5" |
| 30MXL-P-6A | 30 | .764 | .744 | 1/2 | 6" |
| 31MXL-P-6A | 31 | .789 | .769 | 1/2 | 6" |
| 32MXL-P-6A | 32 | .815 | .795 | 1/2 | 6" |
| 33MXL-P-6A | 33 | .840 | .820 | 1/2 | 6" |
| 34MXL-P-6A | 34 | .866 | .846 | 1/2 | 6" |
| 35MXL-P-6A | 35 | .891 | .871 | 1/2 | 6" |
| 36MXL-P-6A | 36 | .917 | .897 | 1/2 | 6" |
| 37MXL-P-6A | 37 | .942 | .922 | 1/2 | 6" |
| 38MXL-P-6A | 38 | .968 | .948 | 1/2 | 6" |
| 39MXL-P-6A | 39 | .993 | .973 | 1/2 | 6" |





ALUMINUM 6061-T6 (ROHS COMPLIANT)



| PART NUMBER | NO. OF GROOVES | PITCH DIA. | OUTSIDE DIA. | SHANK DIA. | USEABLE LENGTH |
|-------------|----------------|------------|--------------|------------|----------------|
| 40MXL-P-7A | 40 | 1.019 | .999 | 1/2 | 7" |
| 42MXL-P-7A | 42 | 1.070 | 1.050 | 1/2 | 7" |
| 44MXL-P-7A | 44 | 1.120 | 1.100 | 1/2 | 7" |
| 45MXL-P-7A | 45 | 1.146 | 1.126 | 1/2 | 7" |
| 48MXL-P-7A | 48 | 1.222 | 1.202 | 1/2 | 7" |
| 50MXL-P-7A | 50 | 1.273 | 1.253 | 1/2 | 7" |
| 51MXL-P-7A | 51 | 1.299 | 1.279 | 1/2 | 7" |
| 52MXL-P-7A | 52 | 1.324 | 1.304 | 1/2 | 7" |
| 54MXL-P-7A | 54 | 1.375 | 1.355 | 1/2 | 7" |
| 55MXL-P-7A | 55 | 1.401 | 1.381 | 1/2 | 7" |
| 56MXL-P-7A | 56 | 1.426 | 1.406 | 1/2 | 7" |
| 57MXL-P-7A | 57 | 1.451 | 1.431 | 1/2 | 7" |
| 60MXL-P-8A | 60 | 1.528 | 1.508 | 1/2 | 8" |
| 64MXL-P-8A | 64 | 1.630 | 1.610 | 1/2 | 8" |
| 65MXL-P-8A | 65 | 1.655 | 1.635 | 1/2 | 8" |
| 66MXL-P-8A | 66 | 1.681 | 1.661 | 1/2 | 8" |
| 70MXL-P-8A | 70 | 1.783 | 1.763 | 1/2 | 8" |
| 72MXL-P-8A | 72 | 1.833 | 1.813 | 1/2 | 8" |
| 75MXL-P-8A | 75 | 1.910 | 1.890 | 1/2 | 8" |
| 80MXL-P-8A | 80 | 2.037 | 2.017 | 3/4 | 8" |
| 82MXL-P-8A | 82 | 2.088 | 2.068 | 3/4 | 8" |
| 84MXL-P-8A | 84 | 2.139 | 2.119 | 3/4 | 8" |
| 88MXL-P-8A | 88 | 2.241 | 2.221 | 3/4 | 8" |
| 90MXL-P-8A | 90 | 2.292 | 2.272 | 3/4 | 8" |
| 96MXL-P-8A | 96 | 2.445 | 2.425 | 3/4 | 8" |
| 98MXL-P-8A | 98 | 2.496 | 2.476 | 3/4 | 8" |
| 100MXL-P-8A | 100 | 2.546 | 2.526 | 3/4 | 8" |
| 102MXL-P-8A | 102 | 2.597 | 2.577 | 3/4 | 8" |
| 108MXL-P-8A | 108 | 2.750 | 2.730 | 3/4 | 8" |
| 110MXL-P-8A | 110 | 2.801 | 2.781 | 3/4 | 8" |
| 120MXL-P-8A | 120 | 3.056 | 3.036 | 3/4 | 8" |
| 130MXL-P-8A | 130 | 3.310 | 3.290 | 3/4 | 8" |
| 140MXL-P-8A | 140 | 3.565 | 3.545 | 3/4 | 8" |
| 150MXL-P-8A | 150 | 3.820 | 3.800 | 3/4 | 8" |


ALUMINUM (ROHS COMPLIANT)



| PART NUMBER | INSIDE DIA. | OUTSIDE DIA. | STOCK THICKNESS | OVERALL FORMED THICKNESS |
|-------------|-------------|--------------|-----------------|--------------------------|
| 10M-F1A | .188 | .425 | .025 | .045 |
| 11M-F1A | .214 | .450 | .025 | .045 |
| 12M-F1A | .218 | .480 | .025 | .045 |
| 13M-F1A | .244 | .505 | .025 | .045 |
| 14M-F1A | .270 | .530 | .025 | .045 |
| 15M-F1A | .296 | .555 | .025 | .045 |
| 16M-F1A | .322 | .580 | .025 | .045 |
| 18M-F1A | .374 | .635 | .032 | .052 |
| 20M-F1A | .426 | .685 | .032 | .052 |
| 21M-F1A | .452 | .710 | .032 | .052 |
| 22M-F1A | .452 | .740 | .032 | .052 |
| 24M-F1A | .504 | .790 | .032 | .052 |
| 25M-F1A | .530 | .815 | .032 | .052 |
| 26M-F1A | .556 | .840 | .032 | .052 |
| 28M-F1A | .574 | .895 | .032 | .052 |
| 30M-F1A | .626 | .945 | .032 | .052 |
| 32M-F1A | .678 | 1.000 | .032 | .052 |
| 33M-F1A | .704 | 1.025 | .032 | .052 |
| 34M-F1A | .722 | 1.050 | .032 | .052 |
| 35M-F1A | .748 | 1.080 | .032 | .052 |
| 36M-F1A | .774 | 1.105 | .032 | .052 |
| 38M-F1A | .826 | 1.155 | .032 | .052 |
| 40M-F1A | .874 | 1.210 | .040 | .060 |
| 42M-F1A | .926 | 1.260 | .040 | .060 |
| 44M-F1A | .978 | 1.315 | .040 | .060 |
| 45M-F1A | 1.004 | 1.340 | .040 | .060 |
| 48M-F1A | 1.058 | 1.420 | .040 | .060 |
| 50M-F1A | 1.110 | 1.470 | .040 | .060 |
| 54M-F1A | 1.200 | 1.575 | .040 | .060 |
| 60M-F1A | 1.356 | 1.730 | .040 | .060 |




BLACK NEOPRENE, FIBERGLASS CORD (ROHS COMPLIANT)



| BELT NUMBER | 1/8" | WIDTHS 3/16" | 1/4" | PITCH LENGTH | NO. OF TEETH | BELT NUMBER | 1/8" | WIDTHS 3/16" | 1/4" | PITCH LENGTH | NO. OF TEETH |
|-------------|------|-----------------|------|-----------------|-----------------|-------------|------|-----------------|------|-----------------|-----------------|
| 29MXL | 012 | 019 | 025 | 2.88 | 36 | 59MXL | 012 | 019 | 025 | 5.92 | 74 |
| 30MXL | 012 | 019 | 025 | 2.96 | 37 | 60MXL | 012 | 019 | 025 | 6.00 | 75 |
| 31MXL | 012 | 019 | 025 | 3.12 | 39 | 61MXL | 012 | 019 | 025 | 6.08 | 76 |
| 32MXL | 012 | 019 | 025 | 3.20 | 40 | 62MXL-D | 012 | 019 | 025 | 6.16 | 77 |
| 33MXL | 012 | 019 | 025 | 3.28 | 41 | 62MXL-U | 012 | 019 | 025 | 6.24 | 78 |
| 34MXL-D | 012 | 019 | 025 | 3.36 | 42 | 63MXL | 012 | 019 | 025 | 6.32 | 79 |
| 34MXL-U | 012 | 019 | 025 | 3.44 | 43 | 64MXL-X | 012 | 019 | 025 | 6.40 | 80 |
| 36MXL | 012 | 019 | 025 | 3.60 | 45 | 64MXL-U | 012 | 019 | 025 | 6.48 | 81 |
| 37MXL | 012 | 019 | 025 | 3.68 | 46 | 66MXL-D | 012 | 019 | 025 | 6.56 | 82 |
| 38MXL-D | 012 | 019 | 025 | 3.76 | 47 | 66MXL-U | 012 | 019 | 025 | 6.64 | 83 |
| 38MXL-U | 012 | 019 | 025 | 3.84 | 48 | 67MXL | 012 | 019 | 025 | 6.72 | 84 |
| 39MXL | 012 | 019 | 025 | 3.92 | 49 | 68MXL | 012 | 019 | 025 | 6.80 | 85 |
| 40MXL | 012 | 019 | 025 | 4.00 | 50 | 69MXL | 012 | 019 | 025 | 6.88 | 86 |
| 42MXL-D | 012 | 019 | 025 | 4.16 | 52 | 70MXL-D | 012 | 019 | 025 | 6.96 | 87 |
| 42MXL-U | 012 | 019 | 025 | 4.24 | 53 | 70MXL-U | 012 | 019 | 025 | 7.04 | 88 |
| 43MXL | 012 | 019 | 025 | 4.32 | 54 | 71MXL | 012 | 019 | 025 | 7.12 | 89 |
| 44MXL | 012 | 019 | 025 | 4.40 | 55 | 72MXL | 012 | 019 | 025 | 7.20 | 90 |
| 45MXL | 012 | 019 | 025 | 4.48 | 56 | 73MXL | 012 | 019 | 025 | 7.28 | 91 |
| 46MXL-D | 012 | 019 | 025 | 4.56 | 57 | 74MXL-D | 012 | 019 | 025 | 7.36 | 92 |
| 46MXL-U | 012 | 019 | 025 | 4.64 | 58 | 74MXL-U | 012 | 019 | 025 | 7.44 | 93 |
| 47MXL | 012 | 019 | 025 | 4.72 | 59 | 75MXL | 012 | 019 | 025 | 7.52 | 94 |
| 48MXL | 012 | 019 | 025 | 4.80 | 60 | 76MXL | 012 | 019 | 025 | 7.60 | 95 |
| 49MXL | 012 | 019 | 025 | 4.88 | 61 | 77MXL | 012 | 019 | 025 | 7.68 | 96 |
| 50MXL-D | 012 | 019 | 025 | 4.96 | 62 | 78MXL-D | 012 | 019 | 025 | 7.76 | 97 |
| 50MXL-U | 012 | 019 | 025 | 5.04 | 63 | 78MXL-U | 012 | 019 | 025 | 7.84 | 98 |
| 51MXL | 012 | 019 | 025 | 5.12 | 64 | 80MXL | 012 | 019 | 025 | 8.00 | 100 |
| 52MXL | 012 | 019 | 025 | 5.20 | 65 | 81MXL | 012 | 019 | 025 | 8.08 | 101 |
| 54MXL-D | 012 | 019 | 025 | 5.36 | 67 | 82MXL-D | 012 | 019 | 025 | 8.16 | 102 |
| 54MXL-U | 012 | 019 | 025 | 5.44 | 68 | 82MXL-U | 012 | 019 | 025 | 8.24 | 103 |
| 55MXL | 012 | 019 | 025 | 5.52 | 69 | 83MXL | 012 | 019 | 025 | 8.32 | 104 |
| 56MXL | 012 | 019 | 025 | 5.60 | 70 | 84MXL | 012 | 019 | 025 | 8.40 | 105 |
| 57MXL | 012 | 019 | 025 | 5.68 | 71 | 85MXL | 012 | 019 | 025 | 8.48 | 106 |
| 58MXL-D | 012 | 019 | 025 | 5.76 | 72 | 86MXL-D | 012 | 019 | 025 | 8.56 | 107 |
| 58MXL-U | 012 | 019 | 025 | 5.84 | 73 | 86MXL-U | 012 | 019 | 025 | 8.64 | 108 |


BLACK NEOPRENE, FIBERGLASS CORD (ROHS COMPLIANT)



| BELT NUMBER | 1/8" | WIDTHS 3/16" | 1/4" | PITCH LENGTH | NO. OF TEETH | BELT NUMBER | 1/8" | WIDTHS 3/16" | 1/4" | PITCH LENGTH | NO. OF TEETH |
|-------------|------|-----------------|------|--------------|--------------|-------------|------|-----------------|------|--------------|--------------|
| 87MXL | 012 | 019 | 025 | 8.72 | 109 | 123MXL | 012 | 019 | 025 | 12.32 | 154 |
| 88MXL | 012 | 019 | 025 | 8.80 | 110 | 124MXL | 012 | 019 | 025 | 12.40 | 155 |
| 90MXL | 012 | 019 | 025 | 8.96 | 112 | 125MXL | 012 | 019 | 025 | 12.48 | 156 |
| 91MXL | 012 | 019 | 025 | 9.12 | 114 | 126MXL | 012 | 019 | 025 | 12.64 | 158 |
| 92MXL | 012 | 019 | 025 | 9.20 | 115 | 127MXL | 012 | 019 | 025 | 12.72 | 159 |
| 94MXL-D | 012 | 019 | 025 | 9.36 | 117 | 128MXL | 012 | 019 | 025 | 12.80 | 160 |
| 94MXL-U | 012 | 019 | 025 | 9.44 | 118 | 130MXL-D | 012 | 019 | 025 | 12.96 | 162 |
| 96MXL | 012 | 019 | 025 | 9.60 | 120 | 130MXL-U | 012 | 019 | 025 | 13.04 | 163 |
| 98MXL-D | 012 | 019 | 025 | 9.76 | 122 | 132MXL | 012 | 019 | 025 | 13.20 | 165 |
| 98MXL-U | 012 | 019 | 025 | 9.84 | 123 | 133MXL | 012 | 019 | 025 | 13.28 | 166 |
| 100MXL | 012 | 019 | 025 | 10.00 | 125 | 134MXL | 012 | 019 | 025 | 13.36 | 167 |
| 101MXL | 012 | 019 | 025 | 10.08 | 126 | 135MXL | 012 | 019 | 025 | 13.52 | 169 |
| 102MXL-D | 012 | 019 | 025 | 10.16 | 127 | 136MXL | 012 | 019 | 025 | 13.60 | 170 |
| 102MXL-U | 012 | 019 | 025 | 10.24 | 128 | 137MXL | 012 | 019 | 025 | 13.68 | 171 |
| 103MXL | 012 | 019 | 025 | 10.32 | 129 | 140MXL | 012 | 019 | 025 | 14.00 | 175 |
| 104MXL | 012 | 019 | 025 | 10.40 | 130 | 142MXL | 012 | 019 | 025 | 14.16 | 177 |
| 105MXL | 012 | 019 | 025 | 10.48 | 131 | 144MXL | 012 | 019 | 025 | 14.40 | 180 |
| 106MXL | 012 | 019 | 025 | 10.56 | 132 | 147MXL | 012 | 019 | 025 | 14.72 | 184 |
| 107MXL | 012 | 019 | 025 | 10.72 | 134 | 149MXL | 012 | 019 | 025 | 14.88 | 186 |
| 108MXL | 012 | 019 | 025 | 10.80 | 135 | 152MXL | 012 | 019 | 025 | 15.20 | 190 |
| 109MXL | 012 | 019 | 025 | 10.88 | 136 | 154MXL | 012 | 019 | 025 | 15.36 | 192 |
| 110MXL-D | 012 | 019 | 025 | 10.96 | 137 | 155MXL | 012 | 019 | 025 | 15.52 | 194 |
| 110MXL-U | 012 | 019 | 025 | 11.04 | 138 | 156MXL | 012 | 019 | 025 | 15.60 | 195 |
| 111MXL | 012 | 019 | 025 | 11.12 | 139 | 160MXL | 012 | 019 | 025 | 16.00 | 200 |
| 112MXL | 012 | 019 | 025 | 11.20 | 140 | 164MXL | 012 | 019 | 025 | 16.40 | 205 |
| 114MXL-D | 012 | 019 | 025 | 11.36 | 142 | 166MXL | 012 | 019 | 025 | 16.64 | 208 |
| 114MXL-U | 012 | 019 | 025 | 11.44 | 143 | 168MXL | 012 | 019 | 025 | 16.80 | 210 |
| 115MXL | 012 | 019 | 025 | 11.52 | 144 | 170MXL | 012 | 019 | 025 | 16.96 | 212 |
| 116MXL | 012 | 019 | 025 | 11.60 | 145 | 172MXL | 012 | 019 | 025 | 17.20 | 215 |
| 118MXL | 012 | 019 | 025 | 11.84 | 148 | 173MXL | 012 | 019 | 025 | 17.28 | 216 |
| 119MXL | 012 | 019 | 025 | 11.92 | 149 | 176MXL | 012 | 019 | 025 | 17.60 | 220 |
| 120MXL | 012 | 019 | 025 | 12.00 | 150 | 177MXL | 012 | 019 | 025 | 17.68 | 221 |
| 121MXL | 012 | 019 | 025 | 12.08 | 151 | 178MXL | 012 | 019 | 025 | 17.76 | 222 |
| 122MXL | 012 | 019 | 025 | 12.24 | 153 | 179MXL | 012 | 019 | 025 | 17.92 | 224 |




BLACK NEOPRENE, FIBERGLASS CORD (ROHS COMPLIANT)



| BELT NUMBER | 1/8" | WIDTHS 3/16" | 1/4" | PITCH LENGTH | NO. OF TEETH | BELT NUMBER | 1/8" | WIDTHS 3/16" | 1/4" | PITCH LENGTH | NO. OF TEETH |
|-------------|------|-----------------|------|-----------------|-----------------|-------------|------|-----------------|------|-----------------|-----------------|
| 180MXL | 012 | 019 | 025 | 18.00 | 225 | 254MXL | 012 | 019 | 025 | 25.44 | 318 |
| 182MXL | 012 | 019 | 025 | 18.24 | 228 | 258MXL-D | 012 | 019 | 025 | 25.76 | 322 |
| 183MXL | 012 | 019 | 025 | 18.32 | 229 | 258MXL-U | 012 | 019 | 025 | 25.84 | 323 |
| 184MXL | 012 | 019 | 025 | 18.40 | 230 | 259MXL | 012 | 019 | 025 | 25.92 | 324 |
| 186MXL | 012 | 019 | 025 | 18.56 | 232 | 260MXL | 012 | 019 | 025 | 26.00 | 325 |
| 188MXL | 012 | 019 | 025 | 18.80 | 235 | 261MXL | 012 | 019 | 025 | 26.08 | 326 |
| 189MXL | 012 | 019 | 025 | 18.88 | 236 | 262MXL | 012 | 019 | 025 | 26.24 | 328 |
| 191MXL | 012 | 019 | 025 | 19.12 | 239 | 264MXL | 012 | 019 | 025 | 26.40 | 330 |
| 192MXL | 012 | 019 | 025 | 19.20 | 240 | 266MXL | 012 | 019 | 025 | 26.56 | 332 |
| 194MXL | 012 | 019 | 025 | 19.44 | 243 | 267MXL | 012 | 019 | 025 | 26.72 | 334 |
| 196MXL | 012 | 019 | 025 | 19.60 | 245 | 270MXL-D | 012 | 019 | 025 | 26.96 | 337 |
| 198MXL | 012 | 019 | 025 | 19.84 | 248 | 270MXL-U | 012 | 019 | 025 | 27.04 | 338 |
| 199MXL | 012 | 019 | 025 | 19.92 | 249 | 271MXL | 012 | 019 | 025 | 27.12 | 339 |
| 200MXL | 012 | 019 | 025 | 20.00 | 250 | 272MXL | 012 | 019 | 025 | 27.20 | 340 |
| 201MXL | 012 | 019 | 025 | 20.08 | 251 | 274MXL-D | 012 | 019 | 025 | 27.36 | 342 |
| 205MXL | 012 | 019 | 025 | 20.48 | 256 | 274MXL-U | 012 | 019 | 025 | 27.44 | 343 |
| 208MXL | 012 | 019 | 025 | 20.80 | 260 | 278MXL | 012 | 019 | 025 | 27.76 | 347 |
| 210MXL | 012 | 019 | 025 | 20.96 | 262 | 280MXL | 012 | 019 | 025 | 28.00 | 350 |
| 212MXL | 012 | 019 | 025 | 21.20 | 265 | 283MXL | 012 | 019 | 025 | 28.32 | 354 |
| 214MXL | 012 | 019 | 025 | 21.36 | 267 | 285MXL | 012 | 019 | 025 | 28.48 | 356 |
| 217MXL | 012 | 019 | 025 | 21.68 | 271 | 286MXL | 012 | 019 | 025 | 28.64 | 358 |
| 218MXL | 012 | 019 | 025 | 21.84 | 273 | 288MXL | 012 | 019 | 025 | 28.80 | 360 |
| 220MXL | 012 | 019 | 025 | 22.00 | 275 | 292MXL | 012 | 019 | 025 | 29.20 | 365 |
| 224MXL | 012 | 019 | 025 | 22.40 | 280 | 297MXL | 012 | 019 | 025 | 29.68 | 371 |
| 228MXL | 012 | 019 | 025 | 22.80 | 285 | 298MXL | 012 | 019 | 025 | 29.76 | 372 |
| 230MXL | 012 | 019 | 025 | 23.04 | 288 | 304MXL | 012 | 019 | 025 | 30.40 | 380 |
| 232MXL | 012 | 019 | 025 | 23.20 | 290 | 310MXL | 012 | 019 | 025 | 31.04 | 388 |
| 236MXL | 012 | 019 | 025 | 23.60 | 295 | 312MXL | 012 | 019 | 025 | 31.20 | 390 |
| 238MXL | 012 | 019 | 025 | 23.84 | 298 | 318MXL | 012 | 019 | 025 | 31.76 | 397 |
| 240MXL | 012 | 019 | 025 | 24.00 | 300 | 320MXL | 012 | 019 | 025 | 32.00 | 400 |
| 244MXL | 012 | 019 | 025 | 24.40 | 305 | 322MXL | 012 | 019 | 025 | 32.16 | 402 |
| 248MXL | 012 | 019 | 025 | 24.80 | 310 | 326MXL | 012 | 019 | 025 | 32.64 | 408 |
| 250MXL | 012 | 019 | 025 | 24.96 | 312 | 330MXL | 012 | 019 | 025 | 32.96 | 412 |
| 252MXL | 012 | 019 | 025 | 25.20 | 315 | 335MXL | 012 | 019 | 025 | 33.52 | 419 |


BLACK NEOPRENE, FIBERGLASS CORD (ROHS COMPLIANT)



| BELT NUMBER | WIDTHS | | | PITCH LENGTH | NO. OF TEETH | BELT NUMBER | WIDTHS | | | PITCH LENGTH | NO. OF TEETH |
|-------------|--------|-------|------|--------------|--------------|-------------|--------|-------|------|--------------|--------------|
| | 1/8" | 3/16" | 1/4" | | | | 1/8" | 3/16" | 1/4" | | |
| 336MXL | .012 | .019 | .025 | 33.60 | 420 | 392MXL | .012 | .019 | .025 | 39.20 | 490 |
| 337MXL | .012 | .019 | .025 | 33.68 | 421 | 398MXL-D | .012 | .019 | .025 | 39.76 | 497 |
| 339MXL | .012 | .019 | .025 | 33.92 | 424 | 398MXL-U | .012 | .019 | .025 | 39.84 | 498 |
| 340MXL | .012 | .019 | .025 | 34.00 | 425 | 400MXL | .012 | .019 | .025 | 40.00 | 500 |
| 342MXL | .012 | .019 | .025 | 34.16 | 427 | 404MXL | .012 | .019 | .025 | 40.40 | 505 |
| 345MXL | .012 | .019 | .025 | 34.48 | 431 | 418MXL | .012 | .019 | .025 | 41.76 | 522 |
| 347MXL | .012 | .019 | .025 | 34.72 | 434 | 428MXL | .012 | .019 | .025 | 42.80 | 535 |
| 348MXL | .012 | .019 | .025 | 34.80 | 435 | 430MXL | .012 | .019 | .025 | 42.96 | 537 |
| 349MXL | .012 | .019 | .025 | 34.88 | 436 | 432MXL | .012 | .019 | .025 | 43.20 | 540 |
| 352MXL | .012 | .019 | .025 | 35.20 | 440 | 434MXL | .012 | .019 | .025 | 43.44 | 543 |
| 354MXL | .012 | .019 | .025 | 35.36 | 442 | 437MXL | .012 | .019 | .025 | 43.68 | 546 |
| 358MXL-D | .012 | .019 | .025 | 35.76 | 447 | 438MXL | .012 | .019 | .025 | 43.84 | 548 |
| 358MXL-U | .012 | .019 | .025 | 35.84 | 448 | 457MXL | .012 | .019 | .025 | 45.68 | 571 |
| 362MXL | .012 | .019 | .025 | 36.24 | 453 | 473MXL | .012 | .019 | .025 | 47.28 | 591 |
| 366MXL | .012 | .019 | .025 | 36.64 | 458 | 474MXL | .012 | .019 | .025 | 47.36 | 592 |
| 370MXL | .012 | .019 | .025 | 37.04 | 463 | 479MXL | .012 | .019 | .025 | 47.92 | 599 |
| 371MXL | .012 | .019 | .025 | 37.12 | 464 | 480MXL | .012 | .019 | .025 | 48.00 | 600 |
| 373MXL | .012 | .019 | .025 | 37.28 | 466 | 490MXL | .012 | .019 | .025 | 48.96 | 612 |
| 378MXL | .012 | .019 | .025 | 37.76 | 472 | 518MXL | .012 | .019 | .025 | 51.84 | 648 |
| 380MXL | .012 | .019 | .025 | 38.00 | 475 | 545MXL | .012 | .019 | .025 | 54.48 | 681 |
| 386MXL | .012 | .019 | .025 | 38.56 | 482 | 555MXL | .012 | .019 | .025 | 55.52 | 694 |
| 390MXL-D | .012 | .019 | .025 | 38.96 | 487 | 730MXL | .012 | .019 | .025 | 73.04 | 913 |
| 390MXL-U | .012 | .019 | .025 | 39.04 | 488 | 951MXL | .012 | .019 | .025 | 95.12 | 1189 |




URETHANE, POLYESTER CORD (ROHS COMPLIANT)



| BELT NUMBER | 1/8" | WIDTHS 3/16" | 1/4" | PITCH LENGTH | NO. OF TEETH | BELT NUMBER | 1/8" | WIDTHS 3/16" | 1/4" | PITCH LENGTH | NO. OF TEETH |
|-------------|------|-----------------|------|-----------------|-----------------|-------------|------|-----------------|------|-----------------|-----------------|
| 30T80-P | 1/8 | 3/16 | 1/4 | 2.400 | 30 | 75T80-P | 1/8 | 3/16 | 1/4 | 6.000 | 75 |
| 35T80-P | 1/8 | 3/16 | 1/4 | 2.800 | 35 | 78T80-P | 1/8 | 3/16 | 1/4 | 6.240 | 78 |
| 36T80-P | 1/8 | 3/16 | 1/4 | 2.880 | 36 | 79T80-P | 1/8 | 3/16 | 1/4 | 6.320 | 79 |
| 40T80-P | 1/8 | 3/16 | 1/4 | 3.200 | 40 | 80T80-P | 1/8 | 3/16 | 1/4 | 6.400 | 80 |
| 45T80-P | 1/8 | 3/16 | 1/4 | 3.600 | 45 | 82T80-P | 1/8 | 3/16 | 1/4 | 6.560 | 82 |
| 46T80-P | 1/8 | 3/16 | 1/4 | 3.680 | 46 | 83T80-P | 1/8 | 3/16 | 1/4 | 6.640 | 83 |
| 48T80-P | 1/8 | 3/16 | 1/4 | 3.840 | 48 | 85T80-P | 1/8 | 3/16 | 1/4 | 6.800 | 85 |
| 50T80-P | 1/8 | 3/16 | 1/4 | 4.000 | 50 | 87T80-P | 1/8 | 3/16 | 1/4 | 6.960 | 87 |
| 51T80-P | 1/8 | 3/16 | 1/4 | 4.080 | 51 | 88T80-P | 1/8 | 3/16 | 1/4 | 7.040 | 88 |
| 52T80-P | 1/8 | 3/16 | 1/4 | 4.160 | 52 | 89T80-P | 1/8 | 3/16 | 1/4 | 7.120 | 89 |
| 54T80-P | 1/8 | 3/16 | 1/4 | 4.320 | 54 | 90T80-P | 1/8 | 3/16 | 1/4 | 7.200 | 90 |
| 55T80-P | 1/8 | 3/16 | 1/4 | 4.400 | 55 | 91T80-P | 1/8 | 3/16 | 1/4 | 7.280 | 91 |
| 56T80-P | 1/8 | 3/16 | 1/4 | 4.480 | 56 | 92T80-P | 1/8 | 3/16 | 1/4 | 7.360 | 92 |
| 58T80-P | 1/8 | 3/16 | 1/4 | 4.640 | 58 | 93T80-P | 1/8 | 3/16 | 1/4 | 7.440 | 93 |
| 59T80-P | 1/8 | 3/16 | 1/4 | 4.720 | 59 | 94T80-P | 1/8 | 3/16 | 1/4 | 7.520 | 94 |
| 60T80-P | 1/8 | 3/16 | 1/4 | 4.800 | 60 | 95T80-P | 1/8 | 3/16 | 1/4 | 7.600 | 95 |
| 61T80-P | 1/8 | 3/16 | 1/4 | 4.880 | 61 | 97T80-P | 1/8 | 3/16 | 1/4 | 7.760 | 97 |
| 62T80-P | 1/8 | 3/16 | 1/4 | 4.960 | 62 | 100T80-P | 1/8 | 3/16 | 1/4 | 8.000 | 100 |
| 63T80-P | 1/8 | 3/16 | 1/4 | 5.040 | 63 | 102T80-P | 1/8 | 3/16 | 1/4 | 8.160 | 102 |
| 64T80-P | 1/8 | 3/16 | 1/4 | 5.120 | 64 | 103T80-P | 1/8 | 3/16 | 1/4 | 8.240 | 103 |
| 65T80-P | 1/8 | 3/16 | 1/4 | 5.200 | 65 | 105T80-P | 1/8 | 3/16 | 1/4 | 8.400 | 105 |
| 66T80-P | 1/8 | 3/16 | 1/4 | 5.280 | 66 | 106T80-P | 1/8 | 3/16 | 1/4 | 8.480 | 106 |
| 67T80-P | 1/8 | 3/16 | 1/4 | 5.360 | 67 | 108T80-P | 1/8 | 3/16 | 1/4 | 8.640 | 108 |
| 68T80-P | 1/8 | 3/16 | 1/4 | 5.440 | 68 | 110T80-P | 1/8 | 3/16 | 1/4 | 8.800 | 110 |
| 70T80-P | 1/8 | 3/16 | 1/4 | 5.600 | 70 | 112T80-P | 1/8 | 3/16 | 1/4 | 8.960 | 112 |
| 71T80-P | 1/8 | 3/16 | 1/4 | 5.680 | 71 | 114T80-P | 1/8 | 3/16 | 1/4 | 9.120 | 114 |
| 72T80-P | 1/8 | 3/16 | 1/4 | 5.760 | 72 | 115T80-P | 1/8 | 3/16 | 1/4 | 9.200 | 115 |
| 73T80-P | 1/8 | 3/16 | 1/4 | 5.840 | 73 | 118T80-P | 1/8 | 3/16 | 1/4 | 9.440 | 118 |


URETHANE, POLYESTER CORD (ROHS COMPLIANT)



| BELT NUMBER | 1/8" | WIDTHS 3/16" | 1/4" | PITCH LENGTH | NO. OF TEETH | BELT NUMBER | 1/8" | WIDTHS 3/16" | 1/4" | PITCH LENGTH | NO. OF TEETH |
|-------------|------|--------------|------|--------------|--------------|-------------|------|--------------|------|--------------|--------------|
| 120T80-P | 1/8 | 3/16 | 1/4 | 9.600 | 120 | 205T80-P | 1/8 | 3/16 | 1/4 | 16.400 | 205 |
| 122T80-P | 1/8 | 3/16 | 1/4 | 9.760 | 122 | 210T80-P | 1/8 | 3/16 | 1/4 | 16.800 | 210 |
| 123T80-P | 1/8 | 3/16 | 1/4 | 9.840 | 123 | 212T80-P | 1/8 | 3/16 | 1/4 | 16.960 | 212 |
| 125T80-P | 1/8 | 3/16 | 1/4 | 10.000 | 125 | 215T80-P | 1/8 | 3/16 | 1/4 | 17.200 | 215 |
| 126T80-P | 1/8 | 3/16 | 1/4 | 10.080 | 126 | 220T80-P | 1/8 | 3/16 | 1/4 | 17.600 | 220 |
| 128T80-P | 1/8 | 3/16 | 1/4 | 10.240 | 128 | 224T80-P | 1/8 | 3/16 | 1/4 | 17.920 | 224 |
| 130T80-P | 1/8 | 3/16 | 1/4 | 10.400 | 130 | 225T80-P | 1/8 | 3/16 | 1/4 | 18.000 | 225 |
| 132T80-P | 1/8 | 3/16 | 1/4 | 10.560 | 132 | 226T80-P | 1/8 | 3/16 | 1/4 | 18.080 | 226 |
| 135T80-P | 1/8 | 3/16 | 1/4 | 10.800 | 135 | 230T80-P | 1/8 | 3/16 | 1/4 | 18.400 | 230 |
| 139T80-P | 1/8 | 3/16 | 1/4 | 11.120 | 139 | 232T80-P | 1/8 | 3/16 | 1/4 | 18.560 | 232 |
| 140T80-P | 1/8 | 3/16 | 1/4 | 11.200 | 140 | 235T80-P | 1/8 | 3/16 | 1/4 | 18.800 | 235 |
| 143T80-P | 1/8 | 3/16 | 1/4 | 11.440 | 143 | 236T80-P | 1/8 | 3/16 | 1/4 | 18.880 | 236 |
| 144T80-P | 1/8 | 3/16 | 1/4 | 11.520 | 144 | 240T80-P | 1/8 | 3/16 | 1/4 | 19.200 | 240 |
| 145T80-P | 1/8 | 3/16 | 1/4 | 11.600 | 145 | 245T80-P | 1/8 | 3/16 | 1/4 | 19.600 | 245 |
| 150T80-P | 1/8 | 3/16 | 1/4 | 12.000 | 150 | 249T80-P | 1/8 | 3/16 | 1/4 | 19.920 | 249 |
| 153T80-P | 1/8 | 3/16 | 1/4 | 12.240 | 153 | 250T80-P | 1/8 | 3/16 | 1/4 | 20.000 | 250 |
| 155T80-P | 1/8 | 3/16 | 1/4 | 12.400 | 155 | 253T80-P | 1/8 | 3/16 | 1/4 | 20.240 | 253 |
| 156T80-P | 1/8 | 3/16 | 1/4 | 12.480 | 156 | 255T80-P | 1/8 | 3/16 | 1/4 | 20.400 | 255 |
| 160T80-P | 1/8 | 3/16 | 1/4 | 12.800 | 160 | 260T80-P | 1/8 | 3/16 | 1/4 | 20.800 | 260 |
| 165T80-P | 1/8 | 3/16 | 1/4 | 13.200 | 165 | 265T80-P | 1/8 | 3/16 | 1/4 | 21.200 | 265 |
| 170T80-P | 1/8 | 3/16 | 1/4 | 13.600 | 170 | 270T80-P | 1/8 | 3/16 | 1/4 | 21.600 | 270 |
| 175T80-P | 1/8 | 3/16 | 1/4 | 14.000 | 175 | 275T80-P | 1/8 | 3/16 | 1/4 | 22.000 | 275 |
| 180T80-P | 1/8 | 3/16 | 1/4 | 14.400 | 180 | 278T80-P | 1/8 | 3/16 | 1/4 | 22.240 | 278 |
| 184T80-P | 1/8 | 3/16 | 1/4 | 14.720 | 184 | 280T80-P | 1/8 | 3/16 | 1/4 | 22.400 | 280 |
| 185T80-P | 1/8 | 3/16 | 1/4 | 14.800 | 185 | 285T80-P | 1/8 | 3/16 | 1/4 | 22.800 | 285 |
| 190T80-P | 1/8 | 3/16 | 1/4 | 15.200 | 190 | 290T80-P | 1/8 | 3/16 | 1/4 | 23.200 | 290 |
| 195T80-P | 1/8 | 3/16 | 1/4 | 15.600 | 195 | 295T80-P | 1/8 | 3/16 | 1/4 | 23.600 | 295 |
| 200T80-P | 1/8 | 3/16 | 1/4 | 16.000 | 200 | 300T80-P | 1/8 | 3/16 | 1/4 | 24.000 | 300 |




URETHANE, POLYESTER CORD (ROHS COMPLIANT)



| BELT NUMBER | 1/8" | WIDTHS 3/16" | 1/4" | PITCH LENGTH | NO. OF TEETH | BELT NUMBER | 1/8" | WIDTHS: 3/16" | 1/4" | PITCH LENGTH | NO. OF TEETH |
|-------------|------|-----------------|------|--------------|--------------|-------------|------|------------------|------|--------------|--------------|
| 310T80-P | 1/8 | 3/16 | 1/4 | 24.800 | 310 | 434T80-P | 1/8 | 3/16 | 1/4 | 34.720 | 434 |
| 315T80-P | 1/8 | 3/16 | 1/4 | 25.200 | 315 | 442T80-P | 1/8 | 3/16 | 1/4 | 35.360 | 442 |
| 320T80-P | 1/8 | 3/16 | 1/4 | 25.600 | 320 | 454T80-P | 1/8 | 3/16 | 1/4 | 36.320 | 454 |
| 324T80-P | 1/8 | 3/16 | 1/4 | 25.920 | 324 | 481T80-P | 1/8 | 3/16 | 1/4 | 38.480 | 481 |
| 330T80-P | 1/8 | 3/16 | 1/4 | 26.400 | 330 | 482T80-P | 1/8 | 3/16 | 1/4 | 38.560 | 482 |
| 336T80-P | 1/8 | 3/16 | 1/4 | 26.880 | 336 | 515T80-P | 1/8 | 3/16 | 1/4 | 41.200 | 515 |
| 340T80-P | 1/8 | 3/16 | 1/4 | 27.200 | 340 | 532T80-P | 1/8 | 3/16 | 1/4 | 42.560 | 532 |
| 350T80-P | 1/8 | 3/16 | 1/4 | 28.000 | 350 | 562T80-P | 1/8 | 3/16 | 1/4 | 44.960 | 562 |
| 355T80-P | 1/8 | 3/16 | 1/4 | 28.400 | 355 | 601T80-P | 1/8 | 3/16 | 1/4 | 48.080 | 601 |
| 358T80-P | 1/8 | 3/16 | 1/4 | 28.640 | 358 | 875T80-P | 1/8 | 3/16 | 1/4 | 70.000 | 875 |
| 360T80-P | 1/8 | 3/16 | 1/4 | 28.800 | 360 | 962T80-P | 1/8 | 3/16 | 1/4 | 76.960 | 962 |
| 370T80-P | 1/8 | 3/16 | 1/4 | 29.600 | 370 | 979T80-P | 1/8 | 3/16 | 1/4 | 78.320 | 979 |
| 380T80-P | 1/8 | 3/16 | 1/4 | 30.400 | 380 | 1155T80-P | 1/8 | 3/16 | 1/4 | 92.400 | 1155 |
| 390T80-P | 1/8 | 3/16 | 1/4 | 31.200 | 390 | 1250T80-P | 1/8 | 3/16 | 1/4 | 100.000 | 1250 |
| 400T80-P | 1/8 | 3/16 | 1/4 | 32.000 | 400 | 1300T80-P | 1/8 | 3/16 | 1/4 | 104.000 | 1300 |
| 403T80-P | 1/8 | 3/16 | 1/4 | 32.240 | 403 | 1500T80-P | 1/8 | 3/16 | 1/4 | 120.000 | 1500 |
| 420T80-P | 1/8 | 3/16 | 1/4 | 33.600 | 420 | 1900T80-P | 1/8 | 3/16 | 1/4 | 152.000 | 1900 |


URETHANE, KEVLAR CORD (ROHS COMPLIANT)



| BELT NUMBER | 1/8" | WIDTHS 3/16" | 1/4" | PITCH LENGTH | NO. OF TEETH | BELT NUMBER | 1/8" | WIDTHS 3/16" | 1/4" | PITCH LENGTH | NO. OF TEETH |
|-------------|------|--------------|------|--------------|--------------|-------------|------|--------------|------|--------------|--------------|
| 30T80-K | 1/8 | 3/16 | 1/4 | 2.400 | 30 | 75T80-K | 1/8 | 3/16 | 1/4 | 6.000 | 75 |
| 35T80-K | 1/8 | 3/16 | 1/4 | 2.800 | 35 | 78T80-K | 1/8 | 3/16 | 1/4 | 6.240 | 78 |
| 36T80-K | 1/8 | 3/16 | 1/4 | 2.880 | 36 | 79T80-K | 1/8 | 3/16 | 1/4 | 6.320 | 79 |
| 40T80-K | 1/8 | 3/16 | 1/4 | 3.200 | 40 | 80T80-K | 1/8 | 3/16 | 1/4 | 6.400 | 80 |
| 45T80-K | 1/8 | 3/16 | 1/4 | 3.600 | 45 | 82T80-K | 1/8 | 3/16 | 1/4 | 6.560 | 82 |
| 46T80-K | 1/8 | 3/16 | 1/4 | 3.680 | 46 | 83T80-K | 1/8 | 3/16 | 1/4 | 6.640 | 83 |
| 48T80-K | 1/8 | 3/16 | 1/4 | 3.840 | 48 | 85T80-K | 1/8 | 3/16 | 1/4 | 6.800 | 85 |
| 50T80-K | 1/8 | 3/16 | 1/4 | 4.000 | 50 | 87T80-K | 1/8 | 3/16 | 1/4 | 6.960 | 87 |
| 51T80-K | 1/8 | 3/16 | 1/4 | 4.080 | 51 | 88T80-K | 1/8 | 3/16 | 1/4 | 7.040 | 88 |
| 52T80-K | 1/8 | 3/16 | 1/4 | 4.160 | 52 | 89T80-K | 1/8 | 3/16 | 1/4 | 7.120 | 89 |
| 54T80-K | 1/8 | 3/16 | 1/4 | 4.320 | 54 | 90T80-K | 1/8 | 3/16 | 1/4 | 7.200 | 90 |
| 55T80-K | 1/8 | 3/16 | 1/4 | 4.400 | 55 | 91T80-K | 1/8 | 3/16 | 1/4 | 7.280 | 91 |
| 56T80-K | 1/8 | 3/16 | 1/4 | 4.480 | 56 | 92T80-K | 1/8 | 3/16 | 1/4 | 7.360 | 92 |
| 58T80-K | 1/8 | 3/16 | 1/4 | 4.640 | 58 | 93T80-K | 1/8 | 3/16 | 1/4 | 7.440 | 93 |
| 59T80-K | 1/8 | 3/16 | 1/4 | 4.720 | 59 | 94T80-K | 1/8 | 3/16 | 1/4 | 7.520 | 94 |
| 60T80-K | 1/8 | 3/16 | 1/4 | 4.800 | 60 | 95T80-K | 1/8 | 3/16 | 1/4 | 7.600 | 95 |
| 61T80-K | 1/8 | 3/16 | 1/4 | 4.880 | 61 | 97T80-K | 1/8 | 3/16 | 1/4 | 7.760 | 97 |
| 62T80-K | 1/8 | 3/16 | 1/4 | 4.960 | 62 | 100T80-K | 1/8 | 3/16 | 1/4 | 8.000 | 100 |
| 63T80-K | 1/8 | 3/16 | 1/4 | 5.040 | 63 | 102T80-K | 1/8 | 3/16 | 1/4 | 8.160 | 102 |
| 64T80-K | 1/8 | 3/16 | 1/4 | 5.120 | 64 | 103T80-K | 1/8 | 3/16 | 1/4 | 8.240 | 103 |
| 65T80-K | 1/8 | 3/16 | 1/4 | 5.200 | 65 | 105T80-K | 1/8 | 3/16 | 1/4 | 8.400 | 105 |
| 66T80-K | 1/8 | 3/16 | 1/4 | 5.280 | 66 | 106T80-K | 1/8 | 3/16 | 1/4 | 8.480 | 106 |
| 67T80-K | 1/8 | 3/16 | 1/4 | 5.360 | 67 | 108T80-K | 1/8 | 3/16 | 1/4 | 8.640 | 108 |
| 68T80-K | 1/8 | 3/16 | 1/4 | 5.440 | 68 | 110T80-K | 1/8 | 3/16 | 1/4 | 8.800 | 110 |
| 70T80-K | 1/8 | 3/16 | 1/4 | 5.600 | 70 | 112T80-K | 1/8 | 3/16 | 1/4 | 8.960 | 112 |
| 71T80-K | 1/8 | 3/16 | 1/4 | 5.680 | 71 | 114T80-K | 1/8 | 3/16 | 1/4 | 9.120 | 114 |
| 72T80-K | 1/8 | 3/16 | 1/4 | 5.760 | 72 | 115T80-K | 1/8 | 3/16 | 1/4 | 9.200 | 115 |
| 73T80-K | 1/8 | 3/16 | 1/4 | 5.840 | 73 | 118T80-K | 1/8 | 3/16 | 1/4 | 9.440 | 118 |




URETHANE, KEVLAR CORD (ROHS COMPLIANT)




| BELT NUMBER | 1/8" | WIDTHS 3/16" | 1/4" | PITCH LENGTH | NO. OF TEETH | BELT NUMBER | 1/8" | WIDTHS 3/16" | 1/4" | PITCH LENGTH | NO. OF TEETH |
|-------------|------|-----------------|------|--------------|--------------|-------------|------|-----------------|------|--------------|--------------|
| 120T80-K | 1/8 | 3/16 | 1/4 | 9.600 | 120 | 205T80-K | 1/8 | 3/16 | 1/4 | 16.400 | 205 |
| 122T80-K | 1/8 | 3/16 | 1/4 | 9.760 | 122 | 210T80-K | 1/8 | 3/16 | 1/4 | 16.800 | 210 |
| 123T80-K | 1/8 | 3/16 | 1/4 | 9.840 | 123 | 212T80-K | 1/8 | 3/16 | 1/4 | 16.960 | 212 |
| 125T80-K | 1/8 | 3/16 | 1/4 | 10.000 | 125 | 215T80-K | 1/8 | 3/16 | 1/4 | 17.200 | 215 |
| 126T80-K | 1/8 | 3/16 | 1/4 | 10.080 | 126 | 220T80-K | 1/8 | 3/16 | 1/4 | 17.600 | 220 |
| 128T80-K | 1/8 | 3/16 | 1/4 | 10.240 | 128 | 224T80-K | 1/8 | 3/16 | 1/4 | 17.920 | 224 |
| 130T80-K | 1/8 | 3/16 | 1/4 | 10.400 | 130 | 225T80-K | 1/8 | 3/16 | 1/4 | 18.000 | 225 |
| 132T80-K | 1/8 | 3/16 | 1/4 | 10.560 | 132 | 226T80-K | 1/8 | 3/16 | 1/4 | 18.080 | 226 |
| 135T80-K | 1/8 | 3/16 | 1/4 | 10.800 | 135 | 230T80-K | 1/8 | 3/16 | 1/4 | 18.400 | 230 |
| 139T80-K | 1/8 | 3/16 | 1/4 | 11.120 | 139 | 232T80-K | 1/8 | 3/16 | 1/4 | 18.560 | 232 |
| 140T80-K | 1/8 | 3/16 | 1/4 | 11.200 | 140 | 235T80-K | 1/8 | 3/16 | 1/4 | 18.800 | 235 |
| 143T80-K | 1/8 | 3/16 | 1/4 | 11.440 | 143 | 236T80-K | 1/8 | 3/16 | 1/4 | 18.880 | 236 |
| 144T80-K | 1/8 | 3/16 | 1/4 | 11.520 | 144 | 240T80-K | 1/8 | 3/16 | 1/4 | 19.200 | 240 |
| 145T80-K | 1/8 | 3/16 | 1/4 | 11.600 | 145 | 245T80-K | 1/8 | 3/16 | 1/4 | 19.600 | 245 |
| 150T80-K | 1/8 | 3/16 | 1/4 | 12.000 | 150 | 249T80-K | 1/8 | 3/16 | 1/4 | 19.920 | 249 |
| 153T80-K | 1/8 | 3/16 | 1/4 | 12.240 | 153 | 250T80-K | 1/8 | 3/16 | 1/4 | 20.000 | 250 |
| 155T80-K | 1/8 | 3/16 | 1/4 | 12.400 | 155 | 253T80-K | 1/8 | 3/16 | 1/4 | 20.240 | 253 |
| 156T80-K | 1/8 | 3/16 | 1/4 | 12.480 | 156 | 255T80-K | 1/8 | 3/16 | 1/4 | 20.400 | 255 |
| 160T80-K | 1/8 | 3/16 | 1/4 | 12.800 | 160 | 260T80-K | 1/8 | 3/16 | 1/4 | 20.800 | 260 |
| 165T80-K | 1/8 | 3/16 | 1/4 | 13.200 | 165 | 265T80-K | 1/8 | 3/16 | 1/4 | 21.200 | 265 |
| 170T80-K | 1/8 | 3/16 | 1/4 | 13.600 | 170 | 270T80-K | 1/8 | 3/16 | 1/4 | 21.600 | 270 |
| 175T80-K | 1/8 | 3/16 | 1/4 | 14.000 | 175 | 275T80-K | 1/8 | 3/16 | 1/4 | 22.000 | 275 |
| 180T80-K | 1/8 | 3/16 | 1/4 | 14.400 | 180 | 278T80-K | 1/8 | 3/16 | 1/4 | 22.240 | 278 |
| 184T80-K | 1/8 | 3/16 | 1/4 | 14.720 | 184 | 280T80-K | 1/8 | 3/16 | 1/4 | 22.400 | 280 |
| 185T80-K | 1/8 | 3/16 | 1/4 | 14.800 | 185 | 285T80-K | 1/8 | 3/16 | 1/4 | 22.800 | 285 |
| 190T80-K | 1/8 | 3/16 | 1/4 | 15.200 | 190 | 290T80-K | 1/8 | 3/16 | 1/4 | 23.200 | 290 |
| 195T80-K | 1/8 | 3/16 | 1/4 | 15.600 | 195 | 295T80-K | 1/8 | 3/16 | 1/4 | 23.600 | 295 |
| 200T80-K | 1/8 | 3/16 | 1/4 | 16.000 | 200 | 300T80-K | 1/8 | 3/16 | 1/4 | 24.000 | 300 |

URETHANE, KEVLAR CORD (ROHS COMPLIANT)




| BELT NUMBER | 1/8" | WIDTHS 3/16" | 1/4" | PITCH LENGTH | NO. OF TEETH | BELT NUMBER | 1/8" | WIDTHS 3/16" | 1/4" | PITCH LENGTH | NO. OF TEETH |
|-------------|------|--------------|------|--------------|--------------|-------------|------|--------------|------|--------------|--------------|
| 310T80-K | 1/8 | 3/16 | 1/4 | 24.800 | 310 | 434T80-K | 1/8 | 3/16 | 1/4 | 34.720 | 434 |
| 315T80-K | 1/8 | 3/16 | 1/4 | 25.200 | 315 | 442T80-K | 1/8 | 3/16 | 1/4 | 35.360 | 442 |
| 320T80-K | 1/8 | 3/16 | 1/4 | 25.600 | 320 | 454T80-K | 1/8 | 3/16 | 1/4 | 36.320 | 454 |
| 324T80-K | 1/8 | 3/16 | 1/4 | 25.920 | 324 | 481T80-K | 1/8 | 3/16 | 1/4 | 38.480 | 481 |
| 330T80-K | 1/8 | 3/16 | 1/4 | 26.400 | 330 | 482T80-K | 1/8 | 3/16 | 1/4 | 38.560 | 482 |
| 336T80-K | 1/8 | 3/16 | 1/4 | 26.880 | 336 | 515T80-K | 1/8 | 3/16 | 1/4 | 41.200 | 515 |
| 340T80-K | 1/8 | 3/16 | 1/4 | 27.200 | 340 | 532T80-K | 1/8 | 3/16 | 1/4 | 42.560 | 532 |
| 350T80-K | 1/8 | 3/16 | 1/4 | 28.000 | 350 | 562T80-K | 1/8 | 3/16 | 1/4 | 44.960 | 562 |
| 355T80-K | 1/8 | 3/16 | 1/4 | 28.400 | 355 | 601T80-K | 1/8 | 3/16 | 1/4 | 48.080 | 601 |
| 358T80-K | 1/8 | 3/16 | 1/4 | 28.640 | 358 | 875T80-K | 1/8 | 3/16 | 1/4 | 70.000 | 875 |
| 360T80-K | 1/8 | 3/16 | 1/4 | 28.800 | 360 | 962T80-K | 1/8 | 3/16 | 1/4 | 76.960 | 962 |
| 370T80-K | 1/8 | 3/16 | 1/4 | 29.600 | 370 | 979T80-K | 1/8 | 3/16 | 1/4 | 78.320 | 979 |
| 380T80-K | 1/8 | 3/16 | 1/4 | 30.400 | 380 | 1155T80-K | 1/8 | 3/16 | 1/4 | 92.400 | 1155 |
| 390T80-K | 1/8 | 3/16 | 1/4 | 31.200 | 390 | 1250T80-K | 1/8 | 3/16 | 1/4 | 100.000 | 1250 |
| 400T80-K | 1/8 | 3/16 | 1/4 | 32.000 | 400 | 1300T80-K | 1/8 | 3/16 | 1/4 | 104.000 | 1300 |
| 403T80-K | 1/8 | 3/16 | 1/4 | 32.240 | 403 | 1500T80-K | 1/8 | 3/16 | 1/4 | 120.000 | 1500 |
| 420T80-K | 1/8 | 3/16 | 1/4 | 33.600 | 420 | 1900T80-K | 1/8 | 3/16 | 1/4 | 152.000 | 1900 |

TRUMOTION, EPDM, FIBERGLASS CORD (RoHS COMPLIANT)



| BELT NUMBER | WIDTHS | | | PITCH LENGTH | NO. OF TEETH | BELT NUMBER | WIDTHS | | | PITCH LENGTH | NO. OF TEETH |
|-------------|--------|-------|------|--------------|--------------|-------------|--------|-------|------|--------------|--------------|
| | 1/8" | 3/16" | 1/4" | | | | 1/8" | 3/16" | 1/4" | | |
| TM-32MXL | .012 | .019 | .025 | 3.20 | 40 | TM-80MXL | .012 | .019 | .025 | 8.00 | 100 |
| TM-34MXL-D | .012 | .019 | .025 | 3.36 | 42 | TM-82MXL-D | .012 | .019 | .025 | 8.16 | 102 |
| TM-36MXL | .012 | .019 | .025 | 3.60 | 45 | TM-82MXL-U | .012 | .019 | .025 | 8.24 | 103 |
| TM-38MXL-D | .012 | .019 | .025 | 3.76 | 47 | TM-84MXL | .012 | .019 | .025 | 8.40 | 105 |
| TM-40MXL | .012 | .019 | .025 | 4.00 | 50 | TM-85MXL | .012 | .019 | .025 | 8.48 | 106 |
| TM-43MXL | .012 | .019 | .025 | 4.32 | 54 | TM-86MXL-D | .012 | .019 | .025 | 8.56 | 107 |
| TM-44MXL | .012 | .019 | .025 | 4.40 | 55 | TM-86MXL-U | .012 | .019 | .025 | 8.64 | 108 |
| TM-46MXL-D | .012 | .019 | .025 | 4.56 | 57 | TM-87MXL | .012 | .019 | .025 | 8.72 | 109 |
| TM-47MXL | .012 | .019 | .025 | 4.72 | 59 | TM-88MXL | .012 | .019 | .025 | 8.80 | 110 |
| TM-48MXL | .012 | .019 | .025 | 4.80 | 60 | TM-90MXL | .012 | .019 | .025 | 8.96 | 112 |
| TM-49MXL | .012 | .019 | .025 | 4.88 | 61 | TM-91MXL | .012 | .019 | .025 | 9.12 | 114 |
| TM-51MXL | .012 | .019 | .025 | 5.12 | 64 | TM-96MXL | .012 | .019 | .025 | 9.60 | 120 |
| TM-52MXL | .012 | .019 | .025 | 5.20 | 65 | TM-98MXL-D | .012 | .019 | .025 | 9.76 | 122 |
| TM-54MXL-D | .012 | .019 | .025 | 5.36 | 67 | TM-98MXL-U | .012 | .019 | .025 | 9.84 | 123 |
| TM-54MXL-U | .012 | .019 | .025 | 5.44 | 68 | TM-100MXL | .012 | .019 | .025 | 10.00 | 125 |
| TM-56MXL | .012 | .019 | .025 | 5.60 | 70 | TM-101MXL | .012 | .019 | .025 | 10.08 | 126 |
| TM-57MXL | .012 | .019 | .025 | 5.68 | 71 | TM-104MXL | .012 | .019 | .025 | 10.40 | 130 |
| TM-58MXL-D | .012 | .019 | .025 | 5.76 | 72 | TM-106MXL | .012 | .019 | .025 | 10.56 | 132 |
| TM-59MXL | .012 | .019 | .025 | 5.92 | 74 | TM-112MXL | .012 | .019 | .025 | 11.20 | 140 |
| TM-61MXL | .012 | .019 | .025 | 6.08 | 76 | TM-115MXL | .012 | .019 | .025 | 11.52 | 144 |
| TM-62MXL-D | .012 | .019 | .025 | 6.16 | 77 | TM-116MXL | .012 | .019 | .025 | 11.60 | 145 |
| TM-63MXL | .012 | .019 | .025 | 6.32 | 79 | TM-119MXL | .012 | .019 | .025 | 11.92 | 149 |
| TM-64MXL-X | .012 | .019 | .025 | 6.40 | 80 | TM-120MXL | .012 | .019 | .025 | 12.00 | 150 |
| TM-66MXL-D | .012 | .019 | .025 | 6.56 | 82 | TM-122MXL | .012 | .019 | .025 | 12.24 | 153 |
| TM-66MXL-U | .012 | .019 | .025 | 6.64 | 83 | TM-124MXL | .012 | .019 | .025 | 12.40 | 155 |
| TM-68MXL | .012 | .019 | .025 | 6.80 | 85 | TM-132MXL | .012 | .019 | .025 | 13.20 | 165 |
| TM-70MXL-D | .012 | .019 | .025 | 6.96 | 87 | TM-133MXL | .012 | .019 | .025 | 13.28 | 166 |
| TM-70MXL-U | .012 | .019 | .025 | 7.04 | 88 | TM-136MXL | .012 | .019 | .025 | 13.60 | 170 |
| TM-72MXL | .012 | .019 | .025 | 7.20 | 90 | TM-140MXL | .012 | .019 | .025 | 14.00 | 175 |
| TM-74MXL-D | .012 | .019 | .025 | 7.36 | 92 | TM-144MXL | .012 | .019 | .025 | 14.40 | 180 |
| TM-74MXL-U | .012 | .019 | .025 | 7.44 | 93 | TM-147MXL | .012 | .019 | .025 | 14.72 | 184 |
| TM-75MXL | .012 | .019 | .025 | 7.52 | 94 | TM-152MXL | .012 | .019 | .025 | 15.20 | 190 |
| TM-76MXL | .012 | .019 | .025 | 7.60 | 95 | TM-156MXL | .012 | .019 | .025 | 15.60 | 195 |
| TM-78MXL-D | .012 | .019 | .025 | 7.76 | 97 | TM-160MXL | .012 | .019 | .025 | 16.00 | 200 |

TRUMOTION, EPDM, FIBERGLASS CORD (ROHS COMPLIANT)



| BELT NUMBER | WIDTHS | | | PITCH LENGTH | NO. OF TEETH | BELT NUMBER | WIDTHS | | | PITCH LENGTH | NO. OF TEETH |
|-------------|--------|-------|------|--------------|--------------|-------------|--------|-------|------|--------------|--------------|
| | 1/8" | 3/16" | 1/4" | | | | 1/8" | 3/16" | 1/4" | | |
| TM-166MXL | 012 | 019 | 025 | 16.64 | 208 | TM-259MXL | 012 | 019 | 025 | 25.92 | 324 |
| TM-168MXL | 012 | 019 | 025 | 16.80 | 210 | TM-278MXL | 012 | 019 | 025 | 27.76 | 347 |
| TM-170MXL | 012 | 019 | 025 | 16.96 | 212 | TM-297MXL | 012 | 019 | 025 | 29.68 | 371 |
| TM-172MXL | 012 | 019 | 025 | 17.20 | 215 | TM-298MXL | 012 | 019 | 025 | 29.76 | 372 |
| TM-177MXL | 012 | 019 | 025 | 17.68 | 221 | TM-320MXL | 012 | 019 | 025 | 32.00 | 400 |
| TM-178MXL | 012 | 019 | 025 | 17.76 | 222 | TM-330MXL | 012 | 019 | 025 | 32.96 | 412 |
| TM-180MXL | 012 | 019 | 025 | 18.00 | 225 | TM-339MXL | 012 | 019 | 025 | 33.92 | 424 |
| TM-184MXL | 012 | 019 | 025 | 18.40 | 230 | TM-347MXL | 012 | 019 | 025 | 34.72 | 434 |
| TM-196MXL | 012 | 019 | 025 | 19.60 | 245 | TM-348MXL | 012 | 019 | 025 | 34.80 | 435 |
| TM-198MXL | 012 | 019 | 025 | 19.84 | 248 | TM-352MXL | 012 | 019 | 025 | 35.20 | 440 |
| TM-199MXL | 012 | 019 | 025 | 19.92 | 249 | TM-362MXL | 012 | 019 | 025 | 36.24 | 453 |
| TM-200MXL | 012 | 019 | 025 | 20.00 | 250 | TM-390MXL-D | 012 | 019 | 025 | 38.96 | 487 |
| TM-201MXL | 012 | 019 | 025 | 20.08 | 251 | TM-398MXL-U | 012 | 019 | 025 | 39.84 | 498 |
| TM-208MXL | 012 | 019 | 025 | 20.80 | 260 | TM-480MXL | 012 | 019 | 025 | 48.00 | 600 |
| TM-212MXL | 012 | 019 | 025 | 21.20 | 265 | TM-490MXL | 012 | 019 | 025 | 48.96 | 612 |
| TM-224MXL | 012 | 019 | 025 | 22.40 | 280 | TM-518MXL | 012 | 019 | 025 | 51.84 | 648 |
| TM-236MXL | 012 | 019 | 025 | 23.60 | 295 | | | | | | |
| TM-240MXL | 012 | 019 | 025 | 24.00 | 300 | | | | | | |
| TM-252MXL | 012 | 019 | 025 | 25.20 | 315 | | | | | | |



