


ALUMINUM WITH CLEAR ANODIZE (RoHS compliant)

FOR BELTS UP TO 1/4" WIDE




PART NUMBER	NO. OF GROOVES	PITCH DIA.	OUTSIDE DIA.	FLANGE O.D.	TYPE	BORE (+.001 / -.000)	FACE WIDTH	OVERALL LENGTH	HUB PROJ.	HUB DIA.	SET SCREWS
10XL025-1A X 3/16	10	.637	.617	7/8	6F	.1875	7/16	11/16	1/4	3/8	6-40(1)
11XL025-1A X 3/16	11	.700	.680	15/16	6F	.1875	7/16	11/16	1/4	7/16	6-40(1)
11XL025-1A X 1/4	11	.700	.680	15/16	6F	.2500	7/16	11/16	1/4	7/16	8-32(1)
12XL025-1A X 3/16	12	.764	.744	1	6F	.1875	7/16	11/16	1/4	1/2	6-40(2)
12XL025-1A X 1/4	12	.764	.744	1	6F	.2500	7/16	11/16	1/4	1/2	8-32(2)
13XL025-1A X 1/4	13	.828	.808	1 1/16	6F	.2500	7/16	11/16	1/4	9/16	8-32(2)
14XL025-1A X 1/4	14	.891	.871	1 3/32	6F	.2500	7/16	11/16	1/4	9/16	8-32(2)
14XL025-1A X 5/16	14	.891	.871	1 3/32	6F	.3125	7/16	11/16	1/4	9/16	8-32(2)
15XL025-1A X 1/4	15	.955	.935	1 3/16	6F	.2500	7/16	11/16	1/4	5/8	8-32(2)
15XL025-1A X 5/16	15	.955	.935	1 3/16	6F	.3125	7/16	11/16	1/4	5/8	8-32(2)
16XL025-1A X 1/4	16	1.019	.999	1 1/4	6F	.2500	7/16	11/16	1/4	11/16	8-32(2)
16XL025-1A X 5/16	16	1.019	.999	1 1/4	6F	.3125	7/16	11/16	1/4	11/16	8-32(2)
18XL025-1A X 1/4	18	1.146	1.126	1 3/8	6F	.2500	7/16	11/16	1/4	13/16	8-32(2)
18XL025-1A X 5/16	18	1.146	1.126	1 3/8	6F	.3125	7/16	11/16	1/4	13/16	8-32(2)
20XL025-1A X 1/4	20	1.273	1.253	1 1/2	6F	.2500	7/16	3/4	5/16	15/16	8-32(2)
20XL025-1A X 5/16	20	1.273	1.253	1 1/2	6F	.3125	7/16	3/4	5/16	15/16	8-32(2)
21XL025-1A X 1/4	21	1.337	1.317	1 9/16	6F	.2500	7/16	3/4	5/16	1	8-32(2)
21XL025-1A X 5/16	21	1.337	1.317	1 9/16	6F	.3125	7/16	3/4	5/16	1	8-32(2)
22XL025-1A X 1/4	22	1.401	1.381	1 5/8	6F	.2500	7/16	3/4	5/16	1	8-32(2)
22XL025-1A X 3/8	22	1.401	1.381	1 5/8	6F	.3750	7/16	3/4	5/16	1	10-32(2)
24XL025-1A X 1/4	24	1.528	1.508	1 3/4	6F	.2500	7/16	25/32	11/32	1 1/16	8-32(2)
24XL025-1A X 5/16	24	1.528	1.508	1 3/4	6F	.3125	7/16	25/32	11/32	1 1/16	8-32(2)
24XL025-1A X 3/8	24	1.528	1.508	1 3/4	6F	.3750	7/16	25/32	11/32	1 1/16	10-32(2)
26XL025-1A X 1/4	26	1.655	1.635	1 7/8	6F	.2500	7/16	25/32	11/32	1 3/16	8-32(2)
26XL025-1A X 3/8	26	1.655	1.635	1 7/8	6F	.3750	7/16	25/32	11/32	1 3/16	10-32(2)
28XL025-1A X 1/4	28	1.783	1.763	2	6F	.2500	7/16	25/32	11/32	1 3/16	8-32(2)
28XL025-1A X 3/8	28	1.783	1.763	2	6F	.3750	7/16	25/32	11/32	1 3/16	10-32(2)
30XL025-1A X 1/4	30	1.910	1.890	2 1/8	6F	.2500	7/16	25/32	11/32	1 5/16	8-32(2)
30XL025-1A X 3/8	30	1.910	1.890	2 1/8	6F	.3750	7/16	25/32	11/32	1 5/16	10-32(2)



ALUMINUM WITH CLEAR ANODIZE (RoHS compliant)

FOR BELTS UP TO 3/8" WIDE




TYPE 6F

PART NUMBER	NO. OF GROOVES	PITCH DIA.	OUTSIDE DIA.	FLANGE O.D.	TYPE	BORE (+.001 / -.000)	FACE WIDTH	OVERALL LENGTH	HUB PROJ.	HUB DIA.	SET SCREWS
10XL037-1A X 3/16	10	.637	.617	7/8	6F	.1875	9/16	13/16	1/4	7/16	6-40(1)
10XL037-1A X 1/4	10	.637	.617	7/8	6F	.2500	9/16	13/16	1/4	7/16	8-32(1)
11XL037-1A X 3/16	11	.700	.680	15/16	6F	.1875	9/16	13/16	1/4	1/2	6-40(1)
11XL037-1A X 1/4	11	.700	.680	15/16	6F	.2500	9/16	13/16	1/4	1/2	8-32(1)
12XL037-1A X 3/16	12	.764	.744	1	6F	.1875	9/16	13/16	1/4	1/2	6-40(2)
12XL037-1A X 1/4	12	.764	.744	1	6F	.2500	9/16	13/16	1/4	1/2	8-32(2)
12XL037-1A X 5/16	12	.764	.744	1	6F	.3125	9/16	13/16	1/4	1/2	6-40(2)
13XL037-1A X 1/4	13	.828	.808	1 1/16	6F	.2500	9/16	13/16	1/4	9/16	8-32(2)
14XL037-1A X 1/4	14	.891	.871	1 3/32	6F	.2500	9/16	13/16	1/4	9/16	8-32(2)
14XL037-1A X 5/16	14	.891	.871	1 3/32	6F	.3125	9/16	13/16	1/4	9/16	8-32(2)
15XL037-1A X 1/4	15	.955	.935	1 3/16	6F	.2500	9/16	13/16	1/4	5/8	8-32(2)
15XL037-1A X 5/16	15	.955	.935	1 3/16	6F	.3125	9/16	13/16	1/4	5/8	8-32(2)
15XL037-1A X 3/8	15	.955	.935	1 3/16	6F	.3750	9/16	13/16	1/4	3/4	8-32(2)
15XL037-1A X 1/2	15	.955	.935	1 3/16	6F	.5000	9/16	13/16	1/4	3/4	8-32(2)
16XL037-1A X 1/4	16	1.019	.999	1 1/4	6F	.2500	9/16	13/16	1/4	11/16	8-32(2)
16XL037-1A X 5/16	16	1.019	.999	1 1/4	6F	.3125	9/16	13/16	1/4	11/16	8-32(2)
16XL037-1A X 3/8	16	1.019	.999	1 1/4	6F	.3750	9/16	13/16	1/4	11/16	8-32(2)
17XL037-1A X 1/4	17	1.082	1.062	1 5/16	6F	.2500	9/16	13/16	1/4	3/4	8-32(2)
18XL037-1A X 1/4	18	1.146	1.126	1 3/8	6F	.2500	9/16	13/16	1/4	13/16	8-32(2)
18XL037-1A X 5/16	18	1.146	1.126	1 3/8	6F	.3125	9/16	13/16	1/4	13/16	8-32(2)
18XL037-1A X 3/8	18	1.146	1.126	1 3/8	6F	.3750	9/16	13/16	1/4	13/16	8-32(2)
18XL037-1A X 1/2	18	1.146	1.126	1 3/8	6F	.5000	9/16	13/16	1/4	13/16	8-32(2)
19XL037-1A X 1/4	19	1.210	1.190	1 7/16	6F	.2500	9/16	13/16	1/4	7/8	8-32(2)

ALUMINUM WITH CLEAR ANODIZE (RoHS compliant)

FOR BELTS UP TO 3/8" WIDE




PART NUMBER	NO. OF GROOVES	PITCH DIA.	OUTSIDE DIA.	FLANGE O.D.	TYPE	BORE (+.001 / -.000)	FACE WIDTH	OVERALL LENGTH	HUB PROJ.	HUB DIA.	SET SCREWS
20XL037-1A X 1/4	20	1.273	1.253	1 1/2	6F	.2500	9/16	7/8	5/16	15/16	8-32(2)
20XL037-1A X 5/16	20	1.273	1.253	1 1/2	6F	.3125	9/16	7/8	5/16	15/16	8-32(2)
20XL037-1A X 3/8	20	1.273	1.253	1 1/2	6F	.3750	9/16	7/8	5/16	15/16	10-32(2)
20XL037-1A X 1/2	20	1.273	1.253	1 1/2	6F	.5000	9/16	7/8	5/16	15/16	10-32(2)
21XL037-1A X 1/4	21	1.337	1.317	1 9/16	6F	.2500	9/16	7/8	5/16	1	8-32(2)
21XL037-1A X 5/16	21	1.337	1.317	1 9/16	6F	.3125	9/16	7/8	5/16	1	8-32(2)
21XL037-1A X 3/8	21	1.337	1.317	1 9/16	6F	.3750	9/16	7/8	5/16	1	10-32(2)
22XL037-1A X 1/4	22	1.401	1.381	1 5/8	6F	.2500	9/16	7/8	5/16	1	8-32(2)
22XL037-1A X 5/16	22	1.401	1.381	1 5/8	6F	.3125	9/16	7/8	5/16	1	8-32(2)
22XL037-1A X 3/8	22	1.401	1.381	1 5/8	6F	.3750	9/16	7/8	5/16	1	10-32(2)
23XL037-1A X 1/4	23	1.464	1.444	1 11/16	6F	.2500	9/16	7/8	5/16	1 1/16	8-32(2)
24XL037-1A X 1/4	24	1.528	1.508	1 3/4	6F	.2500	9/16	29/32	11/32	1 1/16	8-32(2)
24XL037-1A X 5/16	24	1.528	1.508	1 3/4	6F	.3125	9/16	29/32	11/32	1 1/16	8-32(2)
24XL037-1A X 3/8	24	1.528	1.508	1 3/4	6F	.3750	9/16	29/32	11/32	1 1/16	10-32(2)
24XL037-1A X 1/2	24	1.528	1.508	1 3/4	6F	.5000	9/16	29/32	11/32	1 1/16	10-32(2)
25XL037-1A X 1/4	25	1.592	1.572	1 13/16	6F	.2500	9/16	29/32	11/32	1 3/32	8-32(2)
25XL037-1A X 3/8	25	1.592	1.572	1 13/16	6F	.3750	9/16	29/32	11/32	1 3/32	10-32(2)
26XL037-1A X 1/4	26	1.655	1.635	1 7/8	6F	.2500	9/16	29/32	11/32	1 3/16	8-32(2)
26XL037-1A X 3/8	26	1.655	1.635	1 7/8	6F	.3750	9/16	29/32	11/32	1 3/16	10-32(2)
28XL037-1A X 1/4	28	1.783	1.763	2	6F	.2500	9/16	29/32	11/32	1 3/16	8-32(2)
28XL037-1A X 5/16	28	1.783	1.763	2	6F	.3125	9/16	29/32	11/32	1 3/16	8-32(2)
28XL037-1A X 3/8	28	1.783	1.763	2	6F	.3750	9/16	29/32	11/32	1 3/16	10-32(2)
30XL037-1A X 1/4	30	1.910	1.890	2 1/8	6F	.2500	9/16	29/32	11/32	1 5/16	8-32(2)
30XL037-1A X 5/16	30	1.910	1.890	2 1/8	6F	.3125	9/16	29/32	11/32	1 5/16	8-32(2)
30XL037-1A X 3/8	30	1.910	1.890	2 1/8	6F	.3750	9/16	29/32	11/32	1 5/16	10-32(2)
30XL037-1A X 1/2	30	1.910	1.890	2 1/8	6F	.5000	9/16	29/32	11/32	1 5/16	10-32(2)
32XL037-1A X 5/16	32	2.037	2.017	2 1/4	6F	.3125	9/16	29/32	11/32	1 7/16	8-32(2)
32XL037-1A X 3/8	32	2.037	2.017	2 1/4	6F	.3750	9/16	29/32	11/32	1 7/16	10-32(2)




ALUMINUM (RoHS compliant)

FOR BELTS UP TO 3/8" WIDE




TYPE 6

PART NUMBER	NO. OF GROOVES	PITCH DIA.	OUTSIDE DIA.	TYPE	ANODIZE	BORE (+.001 / -.000)	FACE WIDTH	OVERALL LENGTH	HUB PROJ.	HUB DIA.	SET SCREWS
10XL037-2A X 3/16	10	.637	.617	6	CLEAR	.1875	9/16	13/16	1/4	7/16	6-40(1)
10XL037-2A X 1/4	10	.637	.617	6	CLEAR	.2500	9/16	13/16	1/4	7/16	8-32(1)
11XL037-2A X 3/16	11	.700	.680	6	CLEAR	.1875	9/16	13/16	1/4	1/2	6-40(1)
11XL037-2A X 1/4	11	.700	.680	6	CLEAR	.2500	9/16	13/16	1/4	1/2	8-32(1)
12XL037-2A X 3/16	12	.764	.744	6	CLEAR	.1875	9/16	13/16	1/4	9/16	6-40(2)
12XL037-2A X 1/4	12	.764	.744	6	CLEAR	.2500	9/16	13/16	1/4	9/16	8-32(2)
14XL037-2A X 1/4	14	.891	.871	6	CLEAR	.2500	9/16	13/16	1/4	5/8	8-32(2)
14XL037-2A X 5/16	14	.891	.871	6	CLEAR	.3125	9/16	13/16	1/4	5/8	8-32(2)
15XL037-2A X 1/4	15	.955	.935	6	CLEAR	.2500	9/16	7/8	5/16	11/16	8-32(2)
15XL037-2A X 5/16	15	.955	.935	6	CLEAR	.3125	9/16	7/8	5/16	11/16	8-32(2)
15XL037-2A X 3/8	15	.955	.935	6	CLEAR	.3750	9/16	7/8	5/16	11/16	8-32(2)
16XL037-2A X 1/4	16	1.019	.999	6	CLEAR	.2500	9/16	7/8	5/16	3/4	8-32(2)
16XL037-2A X 5/16	16	1.019	.999	6	CLEAR	.3125	9/16	7/8	5/16	3/4	8-32(2)
17XL037-2A X 1/4	17	1.082	1.062	6	CLEAR	.2500	9/16	7/8	5/16	13/16	8-32(2)
18XL037-2A X 1/4	18	1.146	1.126	6	CLEAR	.2500	9/16	7/8	5/16	7/8	8-32(2)
18XL037-2A X 5/16	18	1.146	1.126	6	CLEAR	.3125	9/16	7/8	5/16	7/8	8-32(2)
18XL037-2A X 3/8	18	1.146	1.126	6	CLEAR	.3750	9/16	7/8	5/16	7/8	8-32(2)
19XL037-2A X 1/4	19	1.210	1.190	6	CLEAR	.2500	9/16	7/8	5/16	7/8	8-32(2)
20XL037-2A X 1/4	20	1.273	1.253	6	CLEAR	.2500	9/16	15/16	3/8	15/16	8-32(2)
20XL037-2A X 5/16	20	1.273	1.253	6	CLEAR	.3125	9/16	15/16	3/8	15/16	8-32(2)
20XL037-2A X 3/8	20	1.273	1.253	6	CLEAR	.3750	9/16	15/16	3/8	15/16	10-32(2)
21XL037-2A X 1/4	21	1.337	1.317	6	CLEAR	.2500	9/16	15/16	3/8	1	8-32(2)
21XL037-2A X 5/16	21	1.337	1.317	6	CLEAR	.3125	9/16	15/16	3/8	1	8-32(2)
22XL037-2A X 1/4	22	1.401	1.381	6	CLEAR	.2500	9/16	15/16	3/8	1 1/16	8-32(2)
22XL037-2A X 5/16	22	1.401	1.381	6	CLEAR	.3125	9/16	15/16	3/8	1 1/16	8-32(2)
22XL037-2A X 3/8	22	1.401	1.381	6	CLEAR	.3750	9/16	15/16	3/8	1 1/16	10-32(2)
23XL037-2A X 1/4	23	1.464	1.444	6	CLEAR	.2500	9/16	15/16	3/8	1 1/8	8-32(2)
24XL037-2A X 1/4	24	1.528	1.508	6	CLEAR	.2500	9/16	15/16	3/8	1 3/16	8-32(2)
24XL037-2A X 5/16	24	1.528	1.508	6	CLEAR	.3125	9/16	15/16	3/8	1 3/16	8-32(2)
24XL037-2A X 3/8	24	1.528	1.508	6	CLEAR	.3750	9/16	15/16	3/8	1 3/16	10-32(2)
25XL037-2A X 1/4	25	1.592	1.572	6	CLEAR	.2500	9/16	15/16	3/8	1 1/4	8-32(2)
25XL037-2A X 3/8	25	1.592	1.572	6	CLEAR	.3750	9/16	15/16	3/8	1 1/4	10-32(2)
27XL037-2A X 5/16	27	1.719	1.699	6	CLEAR	.3125	9/16	15/16	3/8	1 1/4	8-32(2)
28XL037-2A X 1/4	28	1.783	1.763	6	CLEAR	.2500	9/16	15/16	3/8	1 1/4	8-32(2)



TYPE 6F



TYPE 6W




PART NUMBER	NO. OF GROOVES	PITCH DIA.	OUTSIDE DIA.	TYPE	ANODIZE	BORE (+.001 (-.000))	FACE WIDTH	OVERALL LENGTH	HUB PROJ.	HUB DIA.	SET SCREWS
28XL037-2A X 5/16	28	1.783	1.763	6	CLEAR	.3125	9/16	15/16	3/8	1 1/4	8-32(2)
28XL037-2A X 3/8	28	1.783	1.763	6	CLEAR	.3750	9/16	15/16	3/8	1 1/4	10-32(2)
29XL037-2A X 5/16	29	1.846	1.826	6	CLEAR	.3125	9/16	15/16	3/8	1 5/16	8-32(2)
30XL037-2A X 1/4	30	1.910	1.890	6	CLEAR	.2500	9/16	15/16	3/8	1 3/8	8-32(2)
30XL037-2A X 5/16	30	1.910	1.890	6	CLEAR	.3125	9/16	15/16	3/8	1 3/8	8-32(2)
30XL037-2A X 3/8	30	1.910	1.890	6	CLEAR	.3750	9/16	15/16	3/8	1 3/8	10-32(2)
32XL037-2A X 5/16	32	2.037	2.017	6	CLEAR	.3125	9/16	1	7/16	1 1/2	8-32(2)
32XL037-2A X 3/8	32	2.037	2.017	6	CLEAR	.3750	9/16	1	7/16	1 1/2	10-32(2)
32XL037-2A X 1/2	32	2.037	2.017	6	CLEAR	.5000	9/16	1	7/16	1 1/2	1/4-20(2)
36XL037-2A X 5/16	36	2.292	2.272	6	CLEAR	.3125	9/16	1	7/16	1 1/2	8-32(2)
36XL037-2A X 3/8	36	2.292	2.272	6	CLEAR	.3750	9/16	1	7/16	1 1/2	10-32(2)
36XL037-2A X 1/2	36	2.292	2.272	6	CLEAR	.5000	9/16	1	7/16	1 1/2	1/4-20(2)
40XL037-3A X 5/16	40	2.546	2.526	6W	NONE	.3125	9/16	1	7/16	1 1/2	8-32(2)
40XL037-3A X 3/8	40	2.546	2.526	6W	NONE	.3750	9/16	1	7/16	1 1/2	10-32(2)
40XL037-3A X 1/2	40	2.546	2.526	6W	NONE	.5000	9/16	1	7/16	1 1/2	1/4-20(2)
42XL037-3A X 5/16	42	2.674	2.654	6W	NONE	.3125	9/16	1	7/16	1 1/2	8-32(2)
42XL037-3A X 3/8	42	2.674	2.654	6W	NONE	.3750	9/16	1	7/16	1 1/2	10-32(2)
42XL037-3A X 1/2	42	2.674	2.654	6W	NONE	.5000	9/16	1	7/16	1 1/2	1/4-20(2)
44XL037-3A X 5/16	44	2.801	2.781	6W	NONE	.3125	9/16	1	7/16	1 1/2	8-32(2)
44XL037-3A X 3/8	44	2.801	2.781	6W	NONE	.3750	9/16	1	7/16	1 1/2	10-32(2)
44XL037-3A X 1/2	44	2.801	2.781	6W	NONE	.5000	9/16	1	7/16	1 1/2	1/4-20(2)
45XL037-3A X 5/16	45	2.865	2.845	6W	NONE	.3125	9/16	1	7/16	1 1/2	8-32(2)
45XL037-3A X 3/8	45	2.865	2.845	6W	NONE	.3750	9/16	1	7/16	1 1/2	10-32(2)
45XL037-3A X 1/2	45	2.865	2.845	6W	NONE	.5000	9/16	1	7/16	1 1/2	1/4-20(2)
48XL037-3A X 5/16	48	3.056	3.036	6W	NONE	.3125	9/16	1	7/16	1 1/2	8-32(2)
48XL037-3A X 3/8	48	3.056	3.036	6W	NONE	.3750	9/16	1	7/16	1 1/2	10-32(2)
48XL037-3A X 1/2	48	3.056	3.036	6W	NONE	.5000	9/16	1	7/16	1 1/2	1/4-20(2)
50XL037-3A X 5/16	50	3.183	3.163	6W	NONE	.3125	9/16	1	7/16	1 1/2	8-32(2)
50XL037-3A X 3/8	50	3.183	3.163	6W	NONE	.3750	9/16	1	7/16	1 1/2	10-32(2)
50XL037-3A X 1/2	50	3.183	3.163	6W	NONE	.5000	9/16	1	7/16	1 1/2	1/4-20(2)
60XL037-3A X 3/8	60	3.820	3.800	6W	NONE	.3750	9/16	1	7/16	1 1/2	10-32(2)
60XL037-3A X 1/2	60	3.820	3.800	6W	NONE	.5000	9/16	1	7/16	1 1/2	1/4-20(2)
72XL037-3A X 3/8	72	4.584	4.564	6W	NONE	.3750	9/16	1	7/16	1 1/2	10-32(2)
72XL037-3A X 1/2	72	4.584	4.564	6W	NONE	.5000	9/16	1	7/16	1 1/2	1/4-20(2)



STEEL WITH BLACK OXIDE (RoHS compliant)

FOR BELTS UP TO 3/8" WIDE




TYPE 6F

PART NUMBER	NO. OF GROOVES	PITCH DIA.	OUTSIDE DIA.	FLANGE O.D.	TYPE	BORE (+.001 / -.000)	FACE WIDTH	OVERALL LENGTH	HUB PROJ.	HUB DIA.	SET SCREWS
10XL037-1S X 3/16	10	.637	.617	7/8	6F	.1875	9/16	13/16	1/4	7/16	6-40(1)
10XL037-1S X 1/4	10	.637	.617	7/8	6F	.2500	9/16	13/16	1/4	7/16	8-32(1)
11XL037-1S X 3/16	11	.700	.680	15/16	6F	.1875	9/16	13/16	1/4	1/2	6-40(1)
11XL037-1S X 1/4	11	.700	.680	15/16	6F	.2500	9/16	13/16	1/4	1/2	8-32(1)
12XL037-1S X 3/16	12	.764	.744	1	6F	.1875	9/16	13/16	1/4	1/2	6-40(2)
12XL037-1S X 1/4	12	.764	.744	1	6F	.2500	9/16	13/16	1/4	1/2	8-32(2)
14XL037-1S X 1/4	14	.891	.871	1 3/32	6F	.2500	9/16	13/16	1/4	9/16	8-32(2)
14XL037-1S X 5/16	14	.891	.871	1 3/32	6F	.3125	9/16	13/16	1/4	9/16	8-32(2)
15XL037-1S X 1/4	15	.955	.935	1 3/16	6F	.2500	9/16	13/16	1/4	5/8	8-32(2)
15XL037-1S X 5/16	15	.955	.935	1 3/16	6F	.3125	9/16	13/16	1/4	5/8	8-32(2)
15XL037-1S X 3/8	15	.955	.935	1 3/16	6F	.3750	9/16	13/16	1/4	5/8	8-32(2)
15XL037-1S X 1/2	15	.955	.935	1 3/16	6F	.5000	9/16	13/16	1/4	5/8	8-32(2)
16XL037-1S X 1/4	16	1.019	.999	1 1/4	6F	.2500	9/16	13/16	1/4	11/16	8-32(2)
16XL037-1S X 5/16	16	1.019	.999	1 1/4	6F	.3125	9/16	13/16	1/4	11/16	8-32(2)
18XL037-1S X 1/4	18	1.146	1.126	1 3/8	6F	.2500	9/16	13/16	1/4	13/16	8-32(2)
18XL037-1S X 5/16	18	1.146	1.126	1 3/8	6F	.3125	9/16	13/16	1/4	13/16	8-32(2)
18XL037-1S X 3/8	18	1.146	1.126	1 3/8	6F	.3750	9/16	13/16	1/4	13/16	8-32(2)
20XL037-1S X 1/4	20	1.273	1.253	1 1/2	6F	.2500	9/16	7/8	5/16	15/16	8-32(2)
20XL037-1S X 5/16	20	1.273	1.253	1 1/2	6F	.3125	9/16	7/8	5/16	15/16	8-32(2)
20XL037-1S X 3/8	20	1.273	1.253	1 1/2	6F	.3750	9/16	7/8	5/16	15/16	10-32(2)
20XL037-1S X 1/2	20	1.273	1.253	1 1/2	6F	.5000	9/16	7/8	5/16	15/16	10-32(2)
21XL037-1S X 1/4	21	1.337	1.317	1 9/16	6F	.2500	9/16	7/8	5/16	1	8-32(2)
21XL037-1S X 5/16	21	1.337	1.317	1 9/16	6F	.3125	9/16	7/8	5/16	1	8-32(2)
22XL037-1S X 1/4	22	1.401	1.381	1 5/8	6F	.2500	9/16	7/8	5/16	1	8-32(2)
22XL037-1S X 5/16	22	1.401	1.381	1 5/8	6F	.3125	9/16	7/8	5/16	1	8-32(2)
22XL037-1S X 3/8	22	1.401	1.381	1 5/8	6F	.3750	9/16	7/8	5/16	1	10-32(2)

STEEL WITH BLACK OXIDE (RoHS compliant)

FOR BELTS UP TO 3/8" WIDE




PART NUMBER	NO. OF GROOVES	PITCH DIA.	OUTSIDE DIA.	FLANGE O.D.	TYPE	BORE (+.001 / -.000)	FACE WIDTH	OVERALL LENGTH	HUB PROJ.	HUB DIA.	SET SCREWS
24XL037-1S X 1/4	24	1.528	1.508	1 3/4	6F	.2500	9/16	29/32	11/32	1 1/16	8-32(2)
24XL037-1S X 5/16	24	1.528	1.508	1 3/4	6F	.3125	9/16	29/32	11/32	1 1/16	8-32(2)
24XL037-1S X 3/8	24	1.528	1.508	1 3/4	6F	.3750	9/16	29/32	11/32	1 1/16	10-32(2)
24XL037-1S X 1/2	24	1.528	1.508	1 3/4	6F	.5000	9/16	29/32	11/32	1 1/16	10-32(2)
25XL037-1S X 1/4	25	1.592	1.572	1 13/16	6F	.2500	9/16	29/32	11/32	1 3/32	8-32(2)
25XL037-1S X 3/8	25	1.592	1.572	1 13/16	6F	.3750	9/16	29/32	11/32	1 3/32	10-32(2)
28XL037-1S X 1/4	28	1.783	1.763	2	6F	.2500	9/16	29/32	11/32	1 3/16	8-32(2)
28XL037-1S X 5/16	28	1.783	1.763	2	6F	.3125	9/16	29/32	11/32	1 3/16	8-32(2)
28XL037-1S X 3/8	28	1.783	1.763	2	6F	.3750	9/16	29/32	11/32	1 3/16	10-32(2)
30XL037-1S X 1/4	30	1.910	1.890	2 1/8	6F	.2500	9/16	29/32	11/32	1 5/16	8-32(2)
30XL037-1S X 5/16	30	1.910	1.890	2 1/8	6F	.3125	9/16	29/32	11/32	1 5/16	8-32(2)
30XL037-1S X 3/8	30	1.910	1.890	2 1/8	6F	.3750	9/16	29/32	11/32	1 5/16	10-32(2)
30XL037-1S X 1/2	30	1.910	1.890	2 1/8	6F	.5000	9/16	29/32	11/32	1 5/16	10-32(2)
32XL037-1S X 5/16	32	2.037	2.017	2 1/4	6F	.3125	9/16	29/32	11/32	1 7/16	8-32(2)
32XL037-1S X 3/8	32	2.037	2.017	2 1/4	6F	.3750	9/16	29/32	11/32	1 7/16	10-32(2)



ALUMINUM WITH CLEAR ANODIZE (RoHS compliant)

FOR BELTS UP TO 3/8" WIDE




TYPE 3F

PART NUMBER	NO. OF GROOVES	PITCH DIA.	OUTSIDE DIA.	FLANGE O.D.	TYPE	BORE (+.001 (-.000))	FACE WIDTH	OVERALL LENGTH	SET SCREWS
10XL037-5A X 3/16	10	.637	.617	7/8	3F	.1875	9/16	9/16	6-32(1)
10XL037-5A X 1/4	10	.637	.617	7/8	3F	.2500	9/16	9/16	6-32(1)
11XL037-5A X 3/16	11	.700	.680	15/16	3F	.1875	9/16	9/16	6-32(1)
11XL037-5A X 1/4	11	.700	.680	15/16	3F	.2500	9/16	9/16	6-32(1)
12XL037-5A X 3/16	12	.764	.744	1	3F	.1875	9/16	9/16	6-32(1)
12XL037-5A X 1/4	12	.764	.744	1	3F	.2500	9/16	9/16	8-32(1)
14XL037-5A X 1/4	14	.891	.871	1 3/32	3F	.2500	9/16	9/16	8-32(2)
15XL037-5A X 1/4	15	.955	.935	1 3/16	3F	.2500	9/16	9/16	8-32(2)
15XL037-5A X 5/16	15	.955	.935	1 3/16	3F	.3125	9/16	9/16	8-32(2)
16XL037-5A X 1/4	16	1.019	.999	1 1/4	3F	.2500	9/16	9/16	8-32(2)
16XL037-5A X 5/16	16	1.019	.999	1 1/4	3F	.3125	9/16	9/16	8-32(2)
18XL037-5A X 1/4	18	1.146	1.126	1 3/8	3F	.2500	9/16	9/16	8-32(2)
18XL037-5A X 5/16	18	1.146	1.126	1 3/8	3F	.3125	9/16	9/16	8-32(2)
20XL037-5A X 1/4	20	1.273	1.253	1 1/2	3F	.2500	9/16	9/16	8-32(2)
20XL037-5A X 5/16	20	1.273	1.253	1 1/2	3F	.3125	9/16	9/16	8-32(2)
20XL037-5A X 3/8	20	1.273	1.253	1 1/2	3F	.3750	9/16	9/16	8-32(2)
21XL037-5A X 1/4	21	1.337	1.317	1 9/16	3F	.2500	9/16	9/16	8-32(2)
21XL037-5A X 5/16	21	1.337	1.317	1 9/16	3F	.3125	9/16	9/16	8-32(2)
22XL037-5A X 1/4	22	1.401	1.381	1 5/8	3F	.2500	9/16	9/16	8-32(2)
22XL037-5A X 5/16	22	1.401	1.381	1 5/8	3F	.3125	9/16	9/16	8-32(2)
24XL037-5A X 1/4	24	1.528	1.508	1 3/4	3F	.2500	9/16	9/16	8-32(2)
24XL037-5A X 5/16	24	1.528	1.508	1 3/4	3F	.3125	9/16	9/16	8-32(2)
24XL037-5A X 3/8	24	1.528	1.508	1 3/4	3F	.3750	9/16	9/16	8-32(2)
28XL037-5A X 1/4	28	1.783	1.763	2	3F	.2500	9/16	9/16	8-32(2)
28XL037-5A X 3/8	28	1.783	1.763	2	3F	.3750	9/16	9/16	8-32(2)
30XL037-5A X 1/4	30	1.910	1.890	2 1/8	3F	.2500	9/16	9/16	8-32(2)
30XL037-5A X 3/8	30	1.910	1.890	2 1/8	3F	.3750	9/16	9/16	8-32(2)
32XL037-5A X 5/16	32	2.037	2.017	2 1/4	3F	.3125	9/16	9/16	8-32(2)
32XL037-5A X 3/8	32	2.037	2.017	2 1/4	3F	.3750	9/16	9/16	8-32(2)

STEEL WITH BLACK OXIDE (RoHS compliant)


FOR BELTS UP TO 3/8" WIDE



PART NUMBER	NO. OF GROOVES	PITCH DIA.	OUTSIDE DIA.	FLANGE O.D.	TYPE	BORE (+.001 / -.000)	FACE WIDTH	OVERALL LENGTH	SET SCREWS
10XL037-5S X 3/16	10	.637	.617	7/8	3F	.1875	9/16	9/16	6-32(1)
10XL037-5S X 1/4	10	.637	.617	7/8	3F	.2500	9/16	9/16	6-32(1)
11XL037-5S X 3/16	11	.700	.680	15/16	3F	.1875	9/16	9/16	6-32(1)
11XL037-5S X 1/4	11	.700	.680	15/16	3F	.2500	9/16	9/16	6-32(1)
12XL037-5S X 3/16	12	.764	.744	1	3F	.1875	9/16	9/16	6-32(1)
12XL037-5S X 1/4	12	.764	.744	1	3F	.2500	9/16	9/16	8-32(1)
14XL037-5S X 1/4	14	.891	.871	1 3/32	3F	.2500	9/16	9/16	8-32(2)
15XL037-5S X 1/4	15	.955	.935	1 3/16	3F	.2500	9/16	9/16	8-32(2)
15XL037-5S X 5/16	15	.955	.935	1 3/16	3F	.3125	9/16	9/16	8-32(2)
16XL037-5S X 1/4	16	1.019	.999	1 1/4	3F	.2500	9/16	9/16	8-32(2)
16XL037-5S X 5/16	16	1.019	.999	1 1/4	3F	.3125	9/16	9/16	8-32(2)
18XL037-5S X 1/4	18	1.146	1.126	1 3/8	3F	.2500	9/16	9/16	8-32(2)
18XL037-5S X 5/16	18	1.146	1.126	1 3/8	3F	.3125	9/16	9/16	8-32(2)
20XL037-5S X 1/4	20	1.273	1.253	1 1/2	3F	.2500	9/16	9/16	8-32(2)
20XL037-5S X 5/16	20	1.273	1.253	1 1/2	3F	.3125	9/16	9/16	8-32(2)
20XL037-5S X 3/8	20	1.273	1.253	1 1/2	3F	.3750	9/16	9/16	8-32(2)
21XL037-5S X 1/4	21	1.337	1.317	1 9/16	3F	.2500	9/16	9/16	8-32(2)
21XL037-5S X 5/16	21	1.337	1.317	1 9/16	3F	.3125	9/16	9/16	8-32(2)
22XL037-5S X 1/4	22	1.401	1.381	1 5/8	3F	.2500	9/16	9/16	8-32(2)
22XL037-5S X 5/16	22	1.401	1.381	1 5/8	3F	.3125	9/16	9/16	8-32(2)
24XL037-5S X 1/4	24	1.528	1.508	1 3/4	3F	.2500	9/16	9/16	8-32(2)
24XL037-5S X 5/16	24	1.528	1.508	1 3/4	3F	.3125	9/16	9/16	8-32(2)
24XL037-5S X 3/8	24	1.528	1.508	1 3/4	3F	.3750	9/16	9/16	8-32(2)
28XL037-5S X 1/4	28	1.783	1.763	2	3F	.2500	9/16	9/16	8-32(2)
28XL037-5S X 3/8	28	1.783	1.763	2	3F	.3750	9/16	9/16	8-32(2)
30XL037-5S X 1/4	30	1.910	1.890	2 1/8	3F	.2500	9/16	9/16	8-32(2)
30XL037-5S X 3/8	30	1.910	1.890	2 1/8	3F	.3750	9/16	9/16	8-32(2)
32XL037-5S X 5/16	32	2.037	2.017	2 1/4	3F	.3125	9/16	9/16	8-32(2)
32XL037-5S X 3/8	32	2.037	2.017	2 1/4	3F	.3750	9/16	9/16	8-32(2)




ALUMINUM (RoHS compliant)



PART NUMBER	NO. OF GROOVES	PITCH DIA.	OUTSIDE DIA.	SHANK DIA.	USEABLE LENGTH	PART NUMBER	NO. OF GROOVES	PITCH DIA.	OUTSIDE DIA.	SHANK DIA.	USEABLE LENGTH
10XL-P-8A	10	.637	.617	1/2	6"	28XL-P-8A	28	1.783	1.763	1/2	8"
11XL-P-8A	11	.700	.680	1/2	6"	29XL-P-8A	29	1.846	1.826	1/2	8"
12XL-P-8A	12	.764	.744	1/2	8"	30XL-P-8A	30	1.910	1.890	1/2	8"
13XL-P-8A	13	.828	.808	1/2	8"	31XL-P-8A	31	1.974	1.954	1/2	8"
14XL-P-8A	14	.891	.871	1/2	8"	32XL-P-8A	32	2.037	2.017	1/2	8"
15XL-P-8A	15	.955	.935	1/2	8"	33XL-P-8A	33	2.101	2.081	1/2	8"
16XL-P-8A	16	1.019	.999	1/2	8"	34XL-P-8A	34	2.165	2.145	1/2	8"
17XL-P-8A	17	1.082	1.062	1/2	8"	35XL-P-8A	35	2.228	2.208	1/2	8"
18XL-P-8A	18	1.146	1.126	1/2	8"	36XL-P-8A	36	2.292	2.272	3/4	8"
19XL-P-8A	19	1.210	1.190	1/2	8"	37XL-P-8A	37	2.355	2.335	3/4	8"
20XL-P-8A	20	1.273	1.253	1/2	8"	38XL-P-8A	38	2.419	2.399	3/4	8"
21XL-P-8A	21	1.337	1.317	1/2	8"	40XL-P-8A	40	2.546	2.526	3/4	8"
22XL-P-8A	22	1.401	1.381	1/2	8"	42XL-P-8A	42	2.674	2.654	3/4	8"
23XL-P-8A	23	1.464	1.444	1/2	8"	44XL-P-8A	44	2.801	2.781	3/4	8"
24XL-P-8A	24	1.528	1.508	1/2	8"	45XL-P-8A	45	2.865	2.845	3/4	8"
25XL-P-8A	25	1.592	1.572	1/2	8"	48XL-P-8A	48	3.056	3.036	3/4	8"
26XL-P-8A	26	1.655	1.635	1/2	8"	50XL-P-8A	50	3.183	3.163	3/4	8"
27XL-P-8A	27	1.719	1.699	1/2	8"	60XL-P-8A	60	3.820	3.800	3/4	8"
						72XL-P-8A	72	4.584	4.564	1	8"


STEEL (RoHS compliant)



PART NUMBER	NO. OF GROOVES	PITCH DIA.	OUTSIDE DIA.	SHANK DIA.	USEABLE LENGTH	PART NUMBER	NO. OF GROOVES	PITCH DIA.	OUTSIDE DIA.	SHANK DIA.	USEABLE LENGTH
10XL-P-6S	10	.637	.617	1/2	6"	26XL-P-8S	26	1.655	1.635	1/2	8"
11XL-P-6S	11	.700	.680	1/2	6"	27XL-P-8S	27	1.719	1.699	1/2	8"
12XL-P-8S	12	.764	.744	1/2	8"	28XL-P-8S	28	1.783	1.763	1/2	8"
13XL-P-8S	13	.828	.808	1/2	8"	29XL-P-8S	29	1.846	1.826	1/2	8"
14XL-P-8S	14	.891	.871	1/2	8"	30XL-P-8S	30	1.910	1.890	1/2	8"
15XL-P-8S	15	.955	.935	1/2	8"	32XL-P-8S	32	2.037	2.017	1/2	8"
16XL-P-8S	16	1.019	.999	1/2	8"	33XL-P-8S	33	2.101	2.081	1/2	8"
17XL-P-8S	17	1.082	1.062	1/2	8"	34XL-P-8S	34	2.165	2.145	1/2	8"
18XL-P-8S	18	1.146	1.126	1/2	8"	36XL-P-8S	36	2.292	2.272	3/4	8"
19XL-P-8S	19	1.210	1.190	1/2	8"	38XL-P-8S	38	2.419	2.399	3/4	8"
20XL-P-8S	20	1.273	1.253	1/2	8"	40XL-P-8S	40	2.546	2.526	3/4	8"
21XL-P-8S	21	1.337	1.317	1/2	8"	42XL-P-8S	42	2.674	2.654	3/4	8"
22XL-P-8S	22	1.401	1.381	1/2	8"	44XL-P-8S	44	2.801	2.781	3/4	8"
23XL-P-8S	23	1.464	1.444	1/2	8"	45XL-P-8S	45	2.865	2.845	3/4	8"
24XL-P-8S	24	1.528	1.508	1/2	8"	48XL-P-8S	48	3.056	3.036	3/4	8"
25XL-P-8S	25	1.592	1.572	1/2	8"	50XL-P-8S	50	3.183	3.163	3/4	8"
						60XL-P-8S	60	3.820	3.800	3/4	8"
						72XL-P-8S	72	4.584	4.564	1	8"




ALUMINUM (RoHS compliant)



PART NUMBER	NO. OF GROOVES	PITCH DIA.	OUTSIDE DIA.	SHANK DIA.	USEABLE LENGTH	PART NUMBER	NO. OF GROOVES	PITCH DIA.	OUTSIDE DIA.	SHANK DIA.	USEABLE LENGTH
18XL-P-12A	18	1.146	1.126	1/2	12"	35XL-P-12A	35	2.228	2.208	1/2	12"
19XL-P-12A	19	1.210	1.190	1/2		36XL-P-12A	36	2.292	2.272	3/4	12"
20XL-P-12A	20	1.273	1.253	1/2	12"	37XL-P-12A	37	2.355	2.335	3/4	12"
21XL-P-12A	21	1.337	1.317	1/2	12"	38XL-P-12A	38	2.419	2.399	3/4	12"
22XL-P-12A	22	1.401	1.381	1/2	12"	39XL-P-12A	39	2.483	2.463	3/4	12"
23XL-P-12A	23	1.464	1.444	1/2	12"	40XL-P-12A	40	2.546	2.526	3/4	12"
24XL-P-12A	24	1.528	1.508	1/2	12"	41XL-P-12A	41	2.610	2.590	3/4	12"
25XL-P-12A	25	1.592	1.572	1/2	12"	42XL-P-12A	42	2.674	2.654	3/4	12"
26XL-P-12A	26	1.655	1.635	1/2	12"	44XL-P-12A	44	2.801	2.781	3/4	12"
27XL-P-12A	27	1.699	1.699	1/2	12"	45XL-P-12A	45	2.865	2.845	3/4	12"
28XL-P-12A	28	1.719	1.763	1/2	12"	48XL-P-12A	48	3.056	3.036	3/4	12"
29XL-P-12A	29	1.873	1.826	1/2	12"	50XL-P-12A	50	3.183	3.163	3/4	12"
30XL-P-12A	30	1.910	1.890	1/2	12"	54XL-P-12A	54	3.438	3.418	3/4	12"
31XL-P-12A	31	1.974	1.954	1/2	12"	60XL-P-12A	60	3.820	3.800	3/4	12"
32XL-P-12A	32	2.037	2.017	1/2	12"	64XL-P-12A	64	4.074	4.054	3/4	12"
33XL-P-12A	33	2.101	2.081	1/2	12"	72XL-P-12A	72	4.584	4.564	1	12"
34XL-P-12A	34	2.165	2.145	1/2	12"						



STEEL (RoHS compliant)



PART NUMBER	NO. OF GROOVES	PITCH DIA.	OUTSIDE DIA.	SHANK DIA.	USEABLE LENGTH	PART NUMBER	NO. OF GROOVES	PITCH DIA.	OUTSIDE DIA.	SHANK DIA.	USEABLE LENGTH
18XL-P-12S	18	1.146	1.126	1/2	12"	32XL-P-12S	32	2.037	2.017	1/2	12"
19XL-P-12S	19	1.210	1.190	1/2	12"	34XL-P-12S	34	2.165	2.145	1/2	12"
20XL-P-12S	20	1.273	1.253	1/2	12"	36XL-P-12S	36	2.292	2.172	3/4	12"
21XL-P-12S	21	1.337	1.317	1/2	12"	38XL-P-12S	38	2.419	2.399	3/4	12"
22XL-P-12S	22	1.401	1.381	1/2	12"	40XL-P-12S	40	2.546	2.562	3/4	12"
24XL-P-12S	24	1.528	1.508	1/2	12"	42XL-P-12S	42	2.674	2.654	3/4	12"
25XL-P-12S	25	1.592	1.572	1/2	12"	44XL-P-12S	44	2.801	2.781	3/4	12"
26XL-P-12S	26	1.655	1.635	1/2	12"	45XL-P-12S	45	2.865	2.845	3/4	12"
27XL-P-12S	27	1.719	1.699	1/2	12"	48XL-P-12S	48	3.056	3.036	3/4	12"
28XL-P-12S	28	1.783	1.763	1/2	12"	50XL-P-12S	50	3.183	3.163	3/4	12"
29XL-P-12S	29	1.846	1.826	1/2	12"	60XL-P-12S	60	3.820	3.800	3/4	12"
30XL-P-12S	30	1.910	1.890	1/2	12"	72XL-P-12S	72	4.584	4.564	1	12"





ALUMINUM (RoHS compliant)



PART NUMBER	INSIDE DIA.	OUTSIDE DIA.	STOCK THICKNESS	OVERALL FORMED THICKNESS
10XL-F2A	.503	7/8	.040	.065
11XL-F2A	.562	15/16	.040	.065
12XL-F2A	.562	1	.040	.065
13XL-F2A	.625	1 1/16	.040	.065
14XL-F2A	.684	1 3/32	.040	.065
15XL-F2A	.748	1 3/16	.040	.065
16XL-F2A	.810	1 1/4	.040	.065
17XL-F2A	.887	1 5/16	.040	.065
18XL-F2A	.936	1 3/8	.040	.065
19XL-F2A	1.000	1 7/16	.040	.065
20XL-F2A	1.062	1 1/2	.040	.065
21XL-F2A	1.125	1 9/16	.040	.065
22XL-F2A	1.160	1 5/8	.040	.065
23XL-F2A	1.160	1 11/16	.040	.065
24XL-F2A	1.222	1 3/4	.040	.065
25XL-F2A	1.250	1 13/16	.040	.065
26XL-F2A	1.347	1 7/8	.040	.065
28XL-F2A	1.425	2	.040	.065
30XL-F2A	1.550	2 1/8	.040	.065
32XL-F2A	1.675	2 1/4	.040	.065


**STEEL (RoHS compliant)**



PART NUMBER	INSIDE DIA.	OUTSIDE DIA.	STOCK THICKNESS	OVERALL FORMED THICKNESS
10XL-F3S	.503	7/8	.040	.065
11XL-F3S	.562	15/16	.040	.065
12XL-F3S	.562	1	.040	.065
13XL-F3S	.625	1 1/16	.040	.065
14XL-F3S	.684	1 3/32	.040	.065
15XL-F3S	.748	1 3/16	.040	.065
16XL-F3S	.810	1 1/4	.040	.065
17XL-F3S	.887	1 5/16	.040	.065
18XL-F3S	.936	1 3/8	.040	.065
19XL-F3S	1.000	1 7/16	.040	.065
20XL-F3S	1.062	1 1/2	.040	.065
21XL-F3S	1.125	1 9/16	.040	.065
22XL-F3S	1.160	1 5/8	.040	.065
23XL-F3S	1.160	1 11/16	.040	.065
24XL-F3S	1.222	1 3/4	.040	.065
25XL-F3S	1.250	1 13/16	.040	.065
26XL-F3S	1.347	1 7/8	.040	.065
28XL-F3S	1.425	2	.040	.065
30XL-F3S	1.550	2 1/8	.040	.065
32XL-F3S	1.675	2 1/4	.040	.065





BLACK NEOPRENE, FIBERGLASS CORD (RoHS compliant)




BELT NUMBER	WIDTHS		PITCH LENGTH	NO. OF TEETH	BELT NUMBER	WIDTHS		PITCH LENGTH	NO. OF TEETH
	1/4"	3/8"				1/4"	3/8"		
42XL	025	037	4.20	21	116XL	025	037	11.60	58
46XL	025	037	4.60	23	118XL	025	037	11.80	59
50XL	025	037	5.00	25	120XL	025	037	12.00	60
54XL	025	037	5.40	27	122XL	025	037	12.20	61
56XL	025	037	5.60	28	124XL	025	037	12.40	62
58XL	025	037	5.80	29	126XL	025	037	12.60	63
60XL	025	037	6.00	30	128XL	025	037	12.80	64
62XL	025	037	6.20	31	130XL	025	037	13.00	65
64XL	025	037	6.40	32	132XL	025	037	13.20	66
66XL	025	037	6.60	33	134XL	025	037	13.40	67
68XL	025	037	6.80	34	136XL	025	037	13.60	68
70XL	025	037	7.00	35	138XL	025	037	13.80	69
72XL	025	037	7.20	36	140XL	025	037	14.00	70
74XL	025	037	7.40	37	142XL	025	037	14.20	71
76XL	025	037	7.60	38	144XL	025	037	14.40	72
78XL	025	037	7.80	39	146XL	025	037	14.60	73
80XL	025	037	8.00	40	148XL	025	037	14.80	74
82XL	025	037	8.20	41	150XL	025	037	15.00	75
84XL	025	037	8.40	42	152XL	025	037	15.20	76
86XL	025	037	8.60	43	154XL	025	037	15.40	77
88XL	025	037	8.80	44	156XL	025	037	15.60	78
90XL	025	037	9.00	45	158XL	025	037	15.80	79
92XL	025	037	9.20	46	160XL	025	037	16.00	80
94XL	025	037	9.40	47	162XL	025	037	16.20	81
96XL	025	037	9.60	48	164XL	025	037	16.40	82
98XL	025	037	9.80	49	166XL	025	037	16.60	83
100XL	025	037	10.00	50	168XL	025	037	16.80	84
102XL	025	037	10.20	51	170XL	025	037	17.00	85
104XL	025	037	10.40	52	172XL	025	037	17.20	86
106XL	025	037	10.60	53	174XL	025	037	17.40	87
108XL	025	037	10.80	54	176XL	025	037	17.60	88
110XL	025	037	11.00	55	178XL	025	037	17.80	89
112XL	025	037	11.20	56	180XL	025	037	18.00	90
114XL	025	037	11.40	57	182XL	025	037	18.20	91

**BLACK NEOPRENE, FIBERGLASS CORD (RoHS compliant)**





BELT NUMBER	WIDTHS		PITCH LENGTH	NO. OF TEETH	BELT NUMBER	WIDTHS		PITCH LENGTH	NO. OF TEETH
	1/4"	3/8"				1/4"	3/8"		
184XL	025	037	18.40	92	262XL	025	037	26.20	131
186XL	025	037	18.60	93	264XL	025	037	26.40	132
188XL	025	037	18.80	94	266XL	025	037	26.60	133
190XL	025	037	19.00	95	268XL	025	037	26.80	134
192XL	025	037	19.20	96	270XL	025	037	27.00	135
194XL	025	037	19.40	97	274XL	025	037	27.40	137
196XL	025	037	19.60	98	276XL	025	037	27.60	138
198XL	025	037	19.80	99	278XL	025	037	27.80	139
200XL	025	037	20.00	100	280XL	025	037	28.00	140
202XL	025	037	20.20	101	284XL	025	037	28.40	142
204XL	025	037	20.40	102	286XL	025	037	28.60	143
206XL	025	037	20.60	103	290XL	025	037	29.00	145
208XL	025	037	20.80	104	296XL	025	037	29.60	148
210XL	025	037	21.00	105	298XL	025	037	29.80	149
212XL	025	037	21.20	106	300XL	025	037	30.00	150
214XL	025	037	21.40	107	302XL	025	037	30.20	151
218XL	025	037	21.80	109	306XL	025	037	30.60	153
220XL	025	037	22.00	110	310XL	025	037	31.00	155
222XL	025	037	22.20	111	316XL	025	037	31.60	158
224XL	025	037	22.40	112	320XL	025	037	32.00	160
226XL	025	037	22.60	113	322XL	025	037	32.20	161
228XL	025	037	22.80	114	330XL	025	037	33.00	165
230XL	025	037	23.00	115	332XL	025	037	33.20	166
232XL	025	037	23.20	116	338XL	025	037	33.80	169
234XL	025	037	23.40	117	340XL	025	037	34.00	170
236XL	025	037	23.60	118	344XL	025	037	34.40	172
240XL	025	037	24.00	120	348XL	025	037	34.80	174
244XL	025	037	24.40	122	350XL	025	037	35.00	175
246XL	025	037	24.60	123	352XL	025	037	35.20	176
248XL	025	037	24.80	124	356XL	025	037	35.60	178
250XL	025	037	25.00	125	360XL	025	037	36.00	180
254XL	025	037	25.40	127	362XL	025	037	36.20	181
258XL	025	037	25.80	129	364XL	025	037	36.40	182
260XL	025	037	26.00	130	370XL	025	037	37.00	185

BLACK NEOPRENE, FIBERGLASS CORD (RoHS compliant)



BELT NUMBER	WIDTHS		PITCH LENGTH	NO. OF TEETH	BELT NUMBER	WIDTHS		PITCH LENGTH	NO. OF TEETH
	1/4"	3/8"				1/4"	3/8"		
372XL	025	037	37.20	186	490XL	025	037	49.00	245
374XL	025	037	37.40	187	492XL	025	037	49.20	246
376XL	025	037	37.60	188	498XL	025	037	49.80	249
380XL	025	037	38.00	190	500XL	025	037	50.00	250
382XL	025	037	38.20	191	506XL	025	037	50.60	253
384XL	025	037	38.40	192	522XL	025	037	52.20	261
386XL	025	037	38.60	193	524XL	025	037	52.40	262
390XL	025	037	39.00	195	532XL	025	037	53.20	266
392XL	025	037	39.20	196	540XL	025	037	54.00	270
396XL	025	037	39.60	198	554XL	025	037	55.40	277
400XL	025	037	40.00	200	560XL	025	037	56.00	280
404XL	025	037	40.40	202	564XL	025	037	56.40	282
412XL	025	037	41.20	206	570XL	025	037	57.00	285
420XL	025	037	42.00	210	580XL	025	037	58.00	290
424XL	025	037	42.40	212	592XL	025	037	59.20	296
432XL	025	037	43.20	216	612XL	025	037	61.20	306
434XL	025	037	43.40	217	630XL	025	037	63.00	315
438XL	025	037	43.80	219	670XL	025	037	67.00	335
444XL	025	037	44.40	222	672XL	025	037	67.20	336
450XL	025	037	45.00	225	690XL	025	037	69.00	345
454XL	025	037	45.40	227	736XL	025	037	73.60	368
460XL	025	037	46.00	230	770XL	025	037	77.00	385
468XL	025	037	46.80	234	810XL	025	037	81.00	405
470XL	025	037	47.00	235	850XL	025	037	85.00	425
480XL	025	037	48.00	240	860XL	025	037	86.00	430
486XL	025	037	48.60	243	888XL	025	037	88.80	444


URETHANE, POLYESTER CORD (RoHS compliant)



BELT NUMBER	WIDTHS		PITCH LENGTH	NO. OF TEETH	BELT NUMBER	WIDTHS		PITCH LENGTH	NO. OF TEETH
	1/4"	3/8"				1/4"	3/8"		
40XL-P	1/4	3/8	4.000	20	176XL-P	1/4	3/8	17.600	88
50XL-P	1/4	3/8	5.000	25	180XL-P	1/4	3/8	18.000	90
60XL-P	1/4	3/8	6.000	30	190XL-P	1/4	3/8	19.000	95
68XL-P	1/4	3/8	6.800	34	200XL-P	1/4	3/8	20.000	100
70XL-P	1/4	3/8	7.000	35	210XL-P	1/4	3/8	21.000	105
80XL-P	1/4	3/8	8.000	40	220XL-P	1/4	3/8	22.000	110
82XL-P	1/4	3/8	8.200	41	230XL-P	1/4	3/8	23.000	115
84XL-P	1/4	3/8	8.400	42	240XL-P	1/4	3/8	24.000	120
88XL-P	1/4	3/8	8.800	44	250XL-P	1/4	3/8	25.000	125
90XL-P	1/4	3/8	9.000	45	260XL-P	1/4	3/8	26.000	130
94XL-P	1/4	3/8	9.400	47	270XL-P	1/4	3/8	27.000	135
96XL-P	1/4	3/8	9.600	48	280XL-P	1/4	3/8	28.000	140
100XL-P	1/4	3/8	10.000	50	290XL-P	1/4	3/8	29.000	145
104XL-P	1/4	3/8	10.400	52	300XL-P	1/4	3/8	30.000	150
110XL-P	1/4	3/8	11.000	55	330XL-P	1/4	3/8	33.000	165
120XL-P	1/4	3/8	12.000	60	340XL-P	1/4	3/8	34.000	170
124XL-P	1/4	3/8	12.400	62	344XL-P	1/4	3/8	34.400	172
130XL-P	1/4	3/8	13.000	65	350XL-P	1/4	3/8	35.000	175
134XL-P	1/4	3/8	13.400	67	360XL-P	1/4	3/8	36.000	180
140XL-P	1/4	3/8	14.000	70	362XL-P	1/4	3/8	36.200	181
144XL-P	1/4	3/8	14.400	72	400XL-P	1/4	3/8	40.000	200
150XL-P	1/4	3/8	15.000	75	412XL-P	1/4	3/8	41.200	206
156XL-P	1/4	3/8	15.600	78	432XL-P	1/4	3/8	43.200	216
160XL-P	1/4	3/8	16.000	80	460XL-P	1/4	3/8	46.000	230
166XL-P	1/4	3/8	16.600	83	480XL-P	1/4	3/8	48.000	240
168XL-P	1/4	3/8	16.800	84	600XL-P	1/4	3/8	60.000	300
170XL-P	1/4	3/8	17.000	85					





URETHANE, KEVLAR CORD (RoHS compliant)



BELT NUMBER	WIDTHS		PITCH LENGTH	NO. OF TEETH	BELT NUMBER	WIDTHS		PITCH LENGTH	NO. OF TEETH
	1/4"	3/8"				1/4"	3/8"		
40XL-K	1/4	3/8	4.000	20	176XL-K	1/4	3/8	17.600	88
50XL-K	1/4	3/8	5.000	25	180XL-K	1/4	3/8	18.000	90
60XL-K	1/4	3/8	6.000	30	190XL-K	1/4	3/8	19.000	95
68XL-K	1/4	3/8	6.800	34	200XL-K	1/4	3/8	20.000	100
70XL-K	1/4	3/8	7.000	35	210XL-K	1/4	3/8	21.000	105
80XL-K	1/4	3/8	8.000	40	220XL-K	1/4	3/8	22.000	110
82XL-K	1/4	3/8	8.200	41	230XL-K	1/4	3/8	23.000	115
84XL-K	1/4	3/8	8.400	42	240XL-K	1/4	3/8	24.000	120
88XL-K	1/4	3/8	8.800	44	250XL-K	1/4	3/8	25.000	125
90XL-K	1/4	3/8	9.000	45	260XL-K	1/4	3/8	26.000	130
94XL-K	1/4	3/8	9.400	47	270XL-K	1/4	3/8	27.000	135
96XL-K	1/4	3/8	9.600	48	280XL-K	1/4	3/8	28.000	140
100XL-K	1/4	3/8	10.000	50	290XL-K	1/4	3/8	29.000	145
104XL-K	1/4	3/8	10.400	52	300XL-K	1/4	3/8	30.000	150
110XL-K	1/4	3/8	11.000	55	330XL-K	1/4	3/8	33.000	165
120XL-K	1/4	3/8	12.000	60	340XL-K	1/4	3/8	34.000	170
124XL-K	1/4	3/8	12.400	62	344XL-K	1/4	3/8	34.400	172
130XL-K	1/4	3/8	13.000	65	350XL-K	1/4	3/8	35.000	175
134XL-K	1/4	3/8	13.400	67	360XL-K	1/4	3/8	36.000	180
140XL-K	1/4	3/8	14.000	70	362XL-K	1/4	3/8	36.200	181
144XL-K	1/4	3/8	14.400	72	400XL-K	1/4	3/8	40.000	200
150XL-K	1/4	3/8	15.000	75	412XL-K	1/4	3/8	41.200	206
156XL-K	1/4	3/8	15.600	78	432XL-K	1/4	3/8	43.200	216
160XL-K	1/4	3/8	16.000	80	460XL-K	1/4	3/8	46.000	230
166XL-K	1/4	3/8	16.600	83	480XL-K	1/4	3/8	48.000	240
168XL-K	1/4	3/8	16.800	84	600XL-K	1/4	3/8	60.000	300
170XL-K	1/4	3/8	17.000	85					

**BLACK NEOPRENE, FIBERGLASS CORD (RoHS compliant)**


**TWIN POWER**



BELT NUMBER	WIDTHS		PITCH LENGTH	NO. OF TEETH
	1/4"	3/8"		
TP140XL	025	037	14.00	70
TP150XL	025	037	15.00	75
TP160XL	025	037	16.00	80
TP170XL	025	037	17.00	85
TP180XL	025	037	18.00	90
TP190XL	025	037	19.00	95
TP200XL	025	037	20.00	100
TP210XL	025	037	21.00	105
TP220XL	025	037	22.00	110
TP230XL	025	037	23.00	115
TP240XL	025	037	24.00	120
TP250XL	025	037	25.00	125
TP260XL	025	037	26.00	130
TP280XL	025	037	28.00	140
TP290XL	025	037	29.00	145
TP300XL	025	037	30.00	150
TP310XL	025	037	31.00	155
TP330XL	025	037	33.00	165
TP340XL	025	037	34.00	170





TRUMOTION, EPDM, FIBERGLASS CORD (RoHS compliant)



BELT NUMBER	WIDTHS		PITCH LENGTH	NO. OF TEETH	BELT NUMBER	WIDTHS		PITCH LENGTH	NO. OF TEETH
	1/4"	3/8"				1/4"	3/8"		
TM-42XL	.025	.037	4.20	21	TM-122XL	.025	.037	12.20	61
TM-50XL	.025	.037	5.00	25	TM-124XL	.025	.037	12.40	62
TM-54XL	.025	.037	5.40	27	TM-126XL	.025	.037	12.60	63
TM-56XL	.025	.037	5.60	28	TM-128XL	.025	.037	12.80	64
TM-58XL	.025	.037	5.80	29	TM-130XL	.025	.037	13.00	65
TM-60XL	.025	.037	6.00	30	TM-132XL	.025	.037	13.20	66
TM-62XL	.025	.037	6.20	31	TM-134XL	.025	.037	13.40	67
TM-64XL	.025	.037	6.40	32	TM-136XL	.025	.037	13.60	68
TM-66XL	.025	.037	6.60	33	TM-138XL	.025	.037	13.80	69
TM-68XL	.025	.037	6.80	34	TM-140XL	.025	.037	14.00	70
TM-70XL	.025	.037	7.00	35	TM-142XL	.025	.037	14.20	71
TM-72XL	.025	.037	7.20	36	TM-144XL	.025	.037	14.40	72
TM-74XL	.025	.037	7.40	37	TM-146XL	.025	.037	14.60	73
TM-76XL	.025	.037	7.60	38	TM-148XL	.025	.037	14.80	74
TM-78XL	.025	.037	7.80	39	TM-150XL	.025	.037	15.00	75
TM-80XL	.025	.037	8.00	40	TM-152XL	.025	.037	15.20	76
TM-82XL	.025	.037	8.20	41	TM-154XL	.025	.037	15.40	77
TM-84XL	.025	.037	8.40	42	TM-156XL	.025	.037	15.60	78
TM-86XL	.025	.037	8.60	43	TM-158XL	.025	.037	15.80	79
TM-88XL	.025	.037	8.80	44	TM-160XL	.025	.037	16.00	80
TM-90XL	.025	.037	9.00	45	TM-162XL	.025	.037	16.20	81
TM-92XL	.025	.037	9.20	46	TM-164XL	.025	.037	16.40	82
TM-94XL	.025	.037	9.40	47	TM-166XL	.025	.037	16.60	83
TM-96XL	.025	.037	9.60	48	TM-168XL	.025	.037	16.80	84
TM-98XL	.025	.037	9.80	49	TM-170XL	.025	.037	17.00	85
TM-100XL	.025	.037	10.00	50	TM-172XL	.025	.037	17.20	86
TM-102XL	.025	.037	10.20	51	TM-174XL	.025	.037	17.40	87
TM-106XL	.025	.037	10.60	53	TM-176XL	.025	.037	17.60	88
TM-108XL	.025	.037	10.80	54	TM-178XL	.025	.037	17.80	89
TM-110XL	.025	.037	11.00	55	TM-180XL	.025	.037	18.00	90
TM-112XL	.025	.037	11.20	56	TM-182XL	.025	.037	18.20	91
TM-114XL	.025	.037	11.40	57	TM-184XL	.025	.037	18.40	92
TM-116XL	.025	.037	11.60	58	TM-186XL	.025	.037	18.60	93
TM-120XL	.025	.037	12.00	60	TM-188XL	.025	.037	18.80	94


**TRUMOTION, EPDM, FIBERGLASS CORD (RoHS compliant)**



BELT NUMBER	WIDTHS		PITCH LENGTH	NO. OF TEETH	BELT NUMBER	WIDTHS		PITCH LENGTH	NO. OF TEETH
	1/4"	3/8"				1/4"	3/8"		
TM-190XL	025	037	19.00	95	TM-296XL	025	037	29.60	148
TM-192XL	025	037	19.20	96	TM-300XL	025	037	30.00	150
TM-194XL	025	037	19.40	97	TM-306XL	025	037	30.60	153
TM-200XL	025	037	20.00	100	TM-310XL	025	037	31.00	155
TM-202XL	025	037	20.20	101	TM-316XL	025	037	31.60	158
TM-204XL	025	037	20.40	102	TM-320XL	025	037	32.00	160
TM-206XL	025	037	20.60	103	TM-322XL	025	037	32.20	161
TM-210XL	025	037	21.00	105	TM-330XL	025	037	33.00	165
TM-212XL	025	037	21.20	106	TM-338XL	025	037	33.80	169
TM-214XL	025	037	21.40	107	TM-340XL	025	037	34.00	170
TM-218XL	025	037	21.80	109	TM-344XL	025	037	34.40	172
TM-220XL	025	037	22.00	110	TM-348XL	025	037	34.80	174
TM-222XL	025	037	22.20	111	TM-350XL	025	037	35.00	175
TM-226XL	025	037	22.60	113	TM-352XL	025	037	35.20	176
TM-228XL	025	037	22.80	114	TM-362XL	025	037	36.20	181
TM-230XL	025	037	23.00	115	TM-370XL	025	037	37.00	185
TM-232XL	025	037	23.20	116	TM-380XL	025	037	38.00	190
TM-234XL	025	037	23.40	117	TM-384XL	025	037	38.40	192
TM-236XL	025	037	23.60	118	TM-390XL	025	037	39.00	195
TM-240XL	025	037	24.00	120	TM-400XL	025	037	40.00	200
TM-244XL	025	037	24.40	122	TM-412XL	025	037	41.20	206
TM-246XL	025	037	24.60	123	TM-420XL	025	037	42.00	210
TM-250XL	025	037	25.00	125	TM-424XL	025	037	42.40	212
TM-254XL	025	037	25.40	127	TM-432XL	025	037	43.20	216
TM-258XL	025	037	25.80	129	TM-438XL	025	037	43.80	219
TM-260XL	025	037	26.00	130	TM-444XL	025	037	44.40	222
TM-262XL	025	037	26.20	131	TM-450XL	025	037	45.00	225
TM-264XL	025	037	26.40	132	TM-454XL	025	037	45.40	227
TM-266XL	025	037	26.60	133	TM-460XL	025	037	46.00	230
TM-268XL	025	037	26.80	134	TM-468XL	025	037	46.80	234
TM-274XL	025	037	27.40	137	TM-480XL	025	037	48.00	240
TM-280XL	025	037	28.00	140	TM-486XL	025	037	48.60	243
TM-286XL	025	037	28.60	143	TM-492XL	025	037	49.20	246
TM-290XL	025	037	29.00	145	TM-498XL	025	037	49.80	249



TRUMOTION, EPDM, FIBERGLASS CORD (RoHS compliant)



BELT NUMBER	WIDTHS		PITCH LENGTH	NO. OF TEETH	BELT NUMBER	WIDTHS		PITCH LENGTH	NO. OF TEETH
	1/4"	3/8"				1/4"	3/8"		
TM-500XL	025	037	50.00	250	TM-592XL	025	037	59.20	296
TM-506XL	025	037	50.60	253	TM-612XL	025	037	61.20	306
TM-524XL	025	037	52.40	262	TM-630XL	025	037	63.00	315
TM-554XL	025	037	55.40	277	TM-672XL	025	037	67.20	336
TM-560XL	025	037	56.00	280	TM-690XL	025	037	69.00	345
TM-570XL	025	037	57.00	285	TM-770XL	025	037	77.00	385
TM-580XL	025	037	58.00	290	TM-850XL	025	037	85.00	425